# Attachment B



Staff Report Z-44-20-1

November 10, 2020

Deer Valley <u>Village Planning</u> <u>Committee</u> Meeting Date:	November 19, 2020
Planning Commission Hearing Date:	December 3, 2020
Request From:	<u>CP/GCP</u> <u>DVAO</u> (Approved C-2 or CP/GCP DVAO) (4.66 acres) and <u>S-1</u> <u>DVAO</u> (Approved C-2 or CP/GCP DVAO) (5.29 acres)
Request To:	<u>C-2 HGT/WVR DNS/WVR DVAO</u> (9.95 acres)
Proposed Use:	Multifamily Residential
Location:	Approximately 350 feet south of the southeast corner of 19th Avenue and Happy Valley Road
Owner:	KEMF 19HV North, LLC; c/o Dan Richards
Applicant:	Ed Bull, Burch & Cracchiolo, P. A.
Representative:	Ed Bull, Burch & Cracchiolo, P. A.
Staff Recommendation:	Approval, subject to stipulations

General Plan Conformity					
General Plan Land Use Map Designation		Mixed Use (Commercial / Commerce Park)			
Street Map Classification19th AvenueMajor Arterial61.14 to 68.96 feet east half street					
CONNECT PEOPLE AND PLACES CORE VALUE; OPPORTUNITY SITES; LAND USE PRINCIPLE: Promote and encourage compatible development and redevelopment with a mix of housing types in neighborhoods close to employment centers, commercial areas, and where transit or transportation alternatives exist.					

Staff Report: Z-44-20-1 November 10, 2020 Page 2 of 18

The proposed multifamily development will provide additional housing choices within the Deer Valley Major Employment Center and along the Interstate 17 Corridor.

CELEBRATE OUR DIVERSE COMMUNITIES & NEIGHBORHOODS; CLEAN NEIGHBORHOODS DESIGN PRINCIPLE: Protect and enhance the character of each neighborhood and its various housing lifestyles through new development that is compatible in scale, design, and appearance.

As stipulated, the proposed project is compatible with existing development and land uses in the immediate area.

BUILD THE SUSTAINABLE DESERT CITY CORE VALUE; TREES AND SHADE; DESIGN PRINCIPLE: Integrate trees and shade into the design of new development and redevelopment projects throughout phoenix.

The proposed development will incorporate a detached sidewalk with a double row of trees on each side of the sidewalk along 19th Avenue, as well as trees throughout the development, which will provide ample shade for pedestrians and residents.

# Applicable Plans, Overlays, and Initiatives

Deer Valley Airport Overlay District – See background item No. 4

**Deer Valley Major Employment Center** – See background item No. 5.

Tree and Shade Master Plan – See background item No. 8.

**<u>Complete Streets Guiding Principles</u> – See background item No. 9.** 

Comprehensive Bicycle Master Plan – See background item No. 10.

Housing Phoenix Plan – See background item No. 11.

**<u>Reimagine Phoenix</u>** – See background item No. 19.

Staff Report: Z-44-20-1 November 10, 2020 Page 3 of 18

Surrounding Land Uses/Zoning							
	Land Use Zoning						
On site	Vacant	CP/GCP DVAO (Approved C-2 or CP/GCP DVAO) and S-1 DVAO (Approved C-2 or CP/GCP DVAO)					
North	Bank and Car Wash	CP/GCP (Approved C-2 or CP/GCP DVAO)					
South	Vacant, Utility Corridor C-2 and S-1( 2 or CP/GCF						
East	Vacant S-1 and C (Approved DVAO)						
West (across 19th Avenue)	Office/Commerce Park	CP/BP					

C-2 HGT/WVR / D	DNS/WVR
-----------------	---------

(Intermediate Commercial, Height Waiver, Density Waiver) Stipulations Comparable to R-4 (Multifamily Residential) Standards (Planned Residential Development Option)

<u>Standards</u>	<u>Requirements</u>	<u>Provisions on the</u> Proposed Site Plan		
Total Number of Units, Maximum	303, to 346 with bonus	292 units proposed		
Dwelling Unit density (units/gross acre), Maximum	30.45; 34.80 with bonus	30 dwelling units per acre (Met)		
Lot Coverage, Maximum	50%	22% (Met)		
Maximum Building Height	3 stories or 40 feet for first 150 feet; 1 foot in 5 foot increase to 48 feet high, 4-story maximum	3 stories, 40 feet (Met)		
Perimeter Standards, Minimu	1			
Adjacent to Public Street (19th Avenue)	20 feet	40 feet (Met)		
Adjacent to property line	10 feet	North: 5 feet (Not met)* South: 5 feet (Not met)* East: 5 feet (Not met)*		
Landscape Setbacks, Minimum				
Adjacent to Public Street (19th Avenue)	20 feet	40 feet (Met)		

Staff Report: Z-44-20-1 November 10, 2020 Page 4 of 18


Adjacent to property line	5 feet	North: 5 feet (Met) South: 5 feet (Met) East: 5 feet (Met)
Common Area, Minimum	5% of gross area.	14% (Met)
Parking Requirements, Minimum	<ul> <li>1.3 space per efficiency unit, and 1.5 spaces per</li> <li>1 and 2-bedroom unit, and 2 spaces per 3 or more-bedroom unit.</li> </ul>	377 spaces provided (Met)

\* The C-2 zoning district permits multifamily zoning by right within the development parameters of the R-3 zoning district. Increased yard, height, area and density may be permitted through a waiver up to the R-5 standards. Staff is recommending that the R-4 zoning district standards be utilized for the Yard, Height and Area with the requested Height and Density Waiver.

# Background/Issues/Analysis

# REQUEST

This request is to rezone 9.95 acres located 1. approximately 350 feet south of the southeast corner of 19th Avenue and Happy Valley Road from CP/GCP DVAO, approved C-2 or CP/GCP DVAO (Commerce Park/General Commerce Park Deer Valley Airport Overlay District, approved Intermediate Commercial or Commerce Park/General Commerce Park Deer Valley Airport Overlay District) and S-1 DVAO, approved C-2 or CP/GCP DVAO (Ranch or Farm Residence District, approved Commerce Park Deer Valley Airport Overlay District) to C-2 HGT/WVR DNS/WVR DVAO (Intermediate Commercial, Height Waiver and Density Waiver, Deer Valley Airport Overlay District) to allow a 292-unit multifamily residential development.




Source: City of Phoenix Planning and Development Department

# ZONING AND LAND USE

2. The subject site is currently vacant and zoned CP/GCP DVAO (Approved C-2 or CP/GCP DVAO) and S-1 DVAO (Approved C-2 or CP/GCP DVAO. The subject site and the surrounding properties are within the Deer Valley Airport Overlay District (DVAO) Area 1. The character of the area is changing from industrial to residential in the northwest quadrant of the DVAO Area 1. City Council recently

Staff Report: Z-44-20-1 November 10, 2020 Page 5 of 18

approved rezoning cases, Z-82-18-1, a request for multifamily residential to the west of the site, Z-54-15-1, a request for multifamily residential at the northwest corner of 23rd Avenue and Pinnacle Peak Road, Z-48-16-1, a request for an assisted living center at the northwest corner of 19th Avenue and Alameda Road, and Z-45-19-1, a request for multifamily residential at the southwest corner of 19th Avenue and Alameda, establishing a change in the land use pattern in the immediate vicinity.




Source: City of Phoenix Planning and Development Department

Staff Report: Z-44-20-1 November 10, 2020 Page 6 of 18

### **GENERAL PLAN**

3. The current General Plan Land Use Map designation for the subject site is Mixed Use (Commercial/Commerce Park). The areas to the north, east and west are also Mixed Use (Commercial/Commerce Park). The area to the south is both Commerce/Business Park and Mixed Use (Commercial/Commerce Park). The zoning is consistent with the current General Plan Land Use Map Designation.




Source: City of Phoenix Planning and Development Department

# **Deer Valley Airport Overlay District**

4. The site is located within the boundaries of the Deer Valley Airport Overlay District (DVAO). This district is intended to protect the health, safety and welfare of persons and property in the vicinity of the Deer Valley Airport (DVA) and to protect the long-term viability of DVA as a general aviation facility by ensuring land use compatibility with airport operations, protecting navigable airspace from physical encroachment and requiring permanent notice of flight operations to property owners. The DVAO District is divided into three separate regulation areas. The subject site is located within Area 1. Residential uses are discouraged in Area 1, however, because of recent approvals for residential developments, the character of this area is evolving. The additional multifamily housing options will serve to provide housing options for those working in the vicinity.


Staff Report: Z-44-20-1 November 10, 2020 Page 7 of 18



Source: City of Phoenix Planning and Development Department

Staff Report: Z-44-20-1 November 10, 2020 Page 8 of 18

# Deer Valley Major Employment Center




Source: City of Phoenix Planning and Development Department

# SITE PLAN

The conceptual site plan proposes a 292-unit multifamily development with 6. access from two points along 19th Avenue. Staff is recommending that the development be limited to 292 units to ensure it maintains a similar density to other multifamily developments in the area. Due to the height of similar residential developments in the area and the close proximity to the Deer Valley Airport, staff is recommending that the development be limited to a maximum height of three stories and 40 feet. This is addressed in Stipulation No. 1. This density and height is consistent with development in the R-4 zoning district. To ensure perimeter setbacks to other developments in the area staff is recommending a minimum of 40 foot landscape setback on the west property boundary, along 19th Avenue. A minimum 20 foot landscape setback is proposed on the southern property boundary to ensure there is an adequate buffer to the adjacent properties. Staff is also recommending that the development adhere to the plant list within the Sonoran Boulevard Development Standards for Happy Valley Road, which is typical for rezoning cases in the area to provide a consistent landscape palette. Further, staff is recommending that all perimeter walls incorporate multiple design features to ensure a high-quality aesthetic. These are addressed in Stipulation Nos. 1,2, 4, 5, 6, and 9.

Staff Report: Z-44-20-1 November 10, 2020 Page 9 of 18



Source: Worksbureau

# **BUILDING ELEVATIONS**

7. The conceptual elevations propose several architectural embellishments that give the project a highquality finish. Staff is recommending

Staff is recommending that the elevations contain



Source: Worksbureau

Staff Report: Z-44-20-1 November 10, 2020 Page 10 of 18

architectural embellishments and detailing such as textural changes, pilasters, offsets, recesses, variation in window size and location, and/or other overhang canopies. This is addressed in Stipulation No. 3.

# AREA PLANS, OVERLAY DISTRICTS, AND INITIATIVES

# Tree and Shade Master Plan

8. The Tree and Shade Master Plan has a goal of treating the urban forest as infrastructure to ensure that trees are an integral part of the city's planning and development process. In addition, a vision in the master plan is to raise awareness by leading by example. To accomplish the vision and goal of the policy document, staff is recommending a stipulation for minimum 25 percent shade be provided in the parking areas. Further, staff is stipulating detached sidewalks with minimum two-inch caliper shade trees be planted 20 feet on center or in equivalent groupings. This is addressed in Stipulation Nos. 7 and 8.


# **Complete Streets Guiding Principles**

9. In 2014, the City of Phoenix City Council adopted the Complete Streets Guiding Principles. The principles are intended to promote improvements that provide an accessible, safe, connected transportation system to include all modes, such as bicycles, pedestrians, transit, and vehicles. To support these principles related to pedestrian connectivity and safety, staff has added a stipulation to require that the developer construct a multi-use trail within the existing multi-use trail easement along 19th Avenue. This is addressed in Stipulation No. 10.

# **Comprehensive Bicycle Master Plan**

10. The Comprehensive Bicycle Master Plan supports options for both short- and long-term bicycle parking as a means of promoting bicyclist traffic to a variety of destinations. There is an existing designated MAG Bike Lane along 19th Avenue. Staff has stipulated the installation of secure/covered bicycle facilities and/or outdoor/covered bicycle facilities at 0.25 spaces for each residential unit with a maximum of 50 spaces and artistic style bicycle racks for guests near the leasing office. Further, staff is recommending a bicycle repair fix it station in an area of high visibility and available from the public sidewalk. These are addressed in Stipulation Nos. 11, 12, and 13.

Staff Report: Z-44-20-1 November 10, 2020 Page 11 of 18



Source: MAG Bikeways

# Housing Phoenix

11. The goal of the Housing Phoenix Plan is to create or preserve 50,000 homes by 2030, and increase overall supply of market, workforce, and affordable housing. Phoenix is the 5th largest city in the country and continues to grow. New residents are drawn to Phoenix by our strong economy, relatively low cost of living, high quality of life, economic opportunity, and cultural attractions. Although Phoenix has experienced consistent population growth, the housing market has not grown at the same rate. An Up for Growth study found that between 2000 and 2015 Arizona underproduced 505,134 housing units. This underproduction has caused a housing shortage in Phoenix. The proposal will help to meet the goals of the housing plan by reducing the gap between housing units and number of people moving to the region.

Staff Report: Z-44-20-1 November 10, 2020 Page 12 of 18

# COMMUNITY INPUT SUMMARY

12. At the time this staff report was written, staff had not received any correspondence from the public regarding the request.

# INTERDEPARTMENTAL COMMENTS

- 13. The subject site is in close proximity to the Deer Valley Airport and is in an area with heavy overflight traffic. The Aviation Department has noted that the following mitigating stipulations be added if approved:
  - Development must provide Avigation Notice consistent with DVAO.
  - Development must file an FAA Form 7460 and provide the City the FAA's no hazard determination prior to construction permit approval.
  - Prior to occupancy, the development must erect signage within the development's sales/leasing office (or equivalent signage) that is visible to prospective renters or purchasers, which discloses the proximity of the Deer Valley Airport and increased frequency of overflight and related aircraft noise, as approved by the Aviation Department.
  - The indoor noise levels shall not exceed a decibel day night-level (DNL) of 45 decibels and that along with the building plans submitted for Phoenix Building Construction Code compliance review to the Planning and Development Department there shall be a sealed and signed analysis by an engineer licensed in Arizona with a proficiency in residential sound mitigation or noise control. The engineer shall note in the analysis that the building design is capable of achieving the required Noise Level Reduction.
  - Prior to occupancy, development must provide the City a qualified engineer's report certifying the average annual interior noise exposure for any residential unit or enclosed public assembly area will not exceed 45 decibels.

These are addressed in Stipulation Nos. 22 through 26.

- 14. The Street Transportation Department has provided comments as follows:
  - The developer shall provide a minimum of two pedestrian accessways from the site to the multi-use trail along 19th Avenue, as approved by the Planning and Development Department.
  - The existing landscape median island along 19th Avenue shall be extended, and a left-turn pocket shall be constructed to provide access to the development, as approved by the Street Transportation Department.
  - The southernmost driveway along 19th Avenue shall align with driveway on the west side of 19th Avenue, as approved by the Planning and Development Department.
  - The developer shall construct all streets within and adjacent to the development with paving, curb, gutter, sidewalk, curb ramps, streetlights, landscape median islands, landscaping and other incidentals as per plans

Staff Report: Z-44-20-1 November 10, 2020 Page 13 of 18

approved by the Planning and Development Department. All improvements shall comply with all ADA accessibility standards.

These are addressed in Stipulation Nos. 14, 15, 16 and 17.

- The Public Works, Floodplain Management Department has provided comments. It has been determined that this parcel is not in a Special Flood Hazard Area (SFHA), but located in a Shaded Zone X, on panel 1280 L of the Flood Insurance Rate Maps (FIRM) dated January 29, 2015.
- 16. The Public Transit Department will require the following:
  - The developer shall dedicate right-of-way and construct one bus stop pad along northbound 19th Avenue north of Whispering Wind Road. The bus stop pad shall be compliant with City of Phoenix Standard Detail P1260 with a minimum depth of 10 feet. The bus stop pad shall be spaced from the intersection of 19th Avenue and Whispering Wind Road alignment according to City of Phoenix Standard Detail P1258.
  - Trees shall be placed to provide 50 percent shade coverage at the bus stop pad at full maturity. Final location of the bus stop pad shall be approved by the Public Transit Department
  - The developer shall provide clearly defined, accessible pathways constructed of decorative pavers, stamped or colored concrete, or other pavement treatments that visually contrast with the adjacent parking and drive aisles surfaces. Connect all building entrances and exits, bus stop pad, community amenities, open space, and all public sidewalks utilizing the minimum possible distance and providing the most direct route. All cross-access agreements shall incorporate a pedestrian pathway. Trees or shade structures shall be placed to provide 75 percent shade coverage on all pedestrian paths and sidewalks at full maturity.

These are addressed in Stipulation Nos. 18, 19 and 20.

- 17. The Pedestrian Safety Coordinator in the Street Transportation Department requested the following:
  - Delineate all pedestrian walkways where conflicts with vehicles exist with alternative paving materials. Connect all buildings entrances and exits utilizing the most direct route for pedestrians from sidewalks to buildings and provide a clear and direct pedestrian path to and from existing and future traffic signal locations
  - Provide traffic calming measures such as speed humps or speed cushions along the property's driveways to increase the safety of pedestrians on the

Staff Report: Z-44-20-1 November 10, 2020 Page 14 of 18

sidewalks by slowing down vehicles entering and exiting the property.

These are addressed in Stipulation Nos. 19, 20 and 21.

18. The Fire Department provided comments that no fire code issues are anticipated with this case and the site and/or buildings shall comply with the Phoenix Fire Code.

# OTHER

# 19. Reimagine Phoenix

As part of the Reimagine Phoenix initiative, the City of Phoenix is committed to increasing the waste diversion rate to 40 percent by 2020 and to better manage its solid waste resources. Section 716 of the Phoenix Zoning Ordinance establishes standards to encourage the provision of recycling containers for multifamily, commercial and mixed-use developments meeting certain criteria. The provisions of recycling containers were not addressed in the applicant's submittal.

- 20. In the event archaeological materials are encountered during construction, the developer shall immediately cease all ground disturbing activities within a 33-foot radius of the discovery, notify the City Archaeologist, and allow time for the Archaeology Office to properly assess the materials. This is addressed in Stipulation No. 27.
- 21. Development and use of the site is subject to all applicable codes and ordinances. Zoning approval does not negate other ordinance requirements. Other formal actions such as, but not limited to, zoning adjustments and abandonments, may be required.

# <u>Findings</u>

- 1. The proposed project will develop a vacant lot that is currently underutilized and as stipulated, the project is compatible with other multifamily projects in the area.
- 2. The proposed rezoning will serve to provide additional housing choices for those who work in the major employment area.
- 3. The development will provide increased shade which will help to reduce the urban heat island effect.

Staff Report: Z-44-20-1 November 10, 2020 Page 15 of 18

# **Stipulations**

- 1. The maximum building height shall be three stories and 40 feet.
- 2. The development shall be limited to 292 units.
- 3. All building elevations shall contain architectural embellishments and detailing such as textural changes, pilasters, offsets, recesses, variation in window size and location, and overhang canopies, as approved by the Planning and Development Department.
- 4. A minimum landscape setback of 40 feet shall be required along the west property line, as approved by the Planning and Development Department
- 5. A minimum landscape setback of 20 feet shall be required on the south property line, as approved by the Planning and Development Department.
- 6. All landscaping provided shall be from the plant list provided in the Sonoran Boulevard Development Standards for Happy Valley Road adopted by City Council on December 18, 1996, as approved by the Planning and Development Department.
- 7. There shall be 25 percent vegetative shade in the parking lot, as approved by the Planning and Development Department.
- 8. All sidewalks adjacent to 19<sup>th</sup> Avenue shall be detached with a landscape strip located between the back of curb following the most recent cross section of the street classification map and planted with a minimum 2 inch caliper shade trees planted a minimum of 20 feet on center or in equivalent groupings, as approved by the Planning and Development Department. Where utility conflicts exist, the developer shall work with the Planning and Development Department on alternative design solutions consistent with a pedestrian environment. Additionally, minimum 5-gallon shrubs with a maximum mature height of 2 feet providing 75 percent live cover shall be provided, as approved by the Planning and Development Department.
- 9. Perimeter walls shall incorporate stone veneer, stonework, integral color CMU block or faux stone, as approved by the Planning and Development Department.
- 10. The developer shall construct a 10-foot wide multi-use trail (MUT) within the existing MUTE as indicated in Section 429 of the City of Phoenix MAG Supplement, and as approved by the Planning and Development Department.

- 11. Secure/Covered Bicycle Facilities and/or Outdoor/Covered Bicycle Facilities shall be provided for residents at a rate of 0.25 spaces per dwelling unit, up to a maximum of 50 spaces.
- 12. Artistic style bicycle racks with capacity for a minimum six bicycles for guests shall be located near the leasing office.
- 13. A bicycle repair station ("fix it station") shall be provided and be maintained in an area of high visibility, convenient pedestrian access, and available from the public sidewalk, as approved by the Planning and development Department.
- 14. The developer shall provide a minimum of two pedestrian accessways from the site to the multi-use trail along 19th Avenue, as approved by the Planning and Development Department.
- 15. The existing landscape median island along 19th Avenue shall be extended, and a left-turn pocket shall be constructed to provide access to the development, as approved by the Planning and Development Department.
- 16. The southernmost driveway along 19th Avenue shall align with driveway on the west side of 19th Avenue, as approved by the Planning and Development Department.
- 17. The developer shall construct all streets within and adjacent to the development with paving, curb, gutter, sidewalk, curb ramps, streetlights, landscape median islands, landscaping and other incidentals as per plans approved by the Planning and Development Department. All improvements shall comply with all ADA accessibility standards.
- 18. The developer shall dedicate right-of-way and construct one bus stop pad along northbound 19th Avenue north of Whispering Wind Road. The bus stop pad shall be compliant with City of Phoenix Standard Detail P1260 with a minimum depth of 10 feet. The bus stop pad shall be spaced from the intersection of 19th Avenue and Whispering Wind Road alignment according to City of Phoenix Standard Detail P1258. Trees shall be placed to provide 50 percent shade coverage at the bus stop pad at full maturity. Final location of the bus stop pad shall be approved by Public Transit Department.
- 19. Where pedestrian pathways cross drive aisles, the pathway shall be constructed of decorative pavers, stamped or colored concrete, or another material, other than those used to pave parking surfaces and drive aisles, as approved by the Planning and Development Department.
- 20. Pedestrian pathways shall be provided to connect building entrances, public

sidewalks, bus stops, and community amenities, using the most direct route for pedestrians, as approved by the Planning and Development Department.

- 21. Traffic calming measures, such as speed humps or speed cushions, shall be provided along the property's driveways to increase the safety of pedestrians on the sidewalks by slowing down vehicles entering and exiting the property, as approved by the Planning and Development Department.
- 22. The developer must file FAA Form 7460 and provide City FAA's no hazard determination prior to construction permit approval, as per plans approved by the Planning and Development Department.
- 23. The property owner shall record documents that disclose the existence, and operational characteristics of Deer Valley Airport to future owners or tenants of the property. The form and content of such documents shall be according to the templates and instructions provided which have been reviewed and approved by the City Attorney.
- 24. The developer must file an FAA Form 7460 and provide the City the FAA's no hazard determination prior to construction permit approval, as per plans approved by the Planning and Development Department.
- 25. The indoor noise levels shall not exceed a decibel day night-level (DNL) of 45 decibels and that along with the building plans submitted for Phoenix Building Construction Code compliance review to the Planning and Development Department there shall be a sealed and signed analysis by an engineer licensed in Arizona with a proficiency in residential sound mitigation or noise control. The engineer shall note in the analysis that the building design is capable of achieving the required Noise Level Reduction.
- 26. Prior to issuance of a final certificate of occupancy, the developer must install a sign (approximately 8 inches by 11 inches in size) within the development's sales/leasing office that is visible to prospective renters or purchases which discloses the proximity of the Deer Valley Airport and increased frequency of overflight and related aircraft noise, as approved by the Aviation Department.
- 27. In the event archaeological materials are encountered during construction, the developer shall immediately cease all ground-disturbing activities within a 33-foot radius of the discovery, notify the City Archaeologist, and allow time for the Archaeology Office to properly assess the materials.


<u>Writer</u> David Simmons November 10, 2020 Staff Report: Z-44-20-1 November 10, 2020 Page 18 of 18

# <u>Team Leader</u>


Samantha Keating

# <u>Exhibits</u>

Sketch Map Aerial Site Plan Date Stamped August 10, 2020 (2 pages) Elevations Date Stamped August 10, 2020 (4 pages)



Document Path: S:\Department Share\Information Systems\PL GIS\IS\_Team\Core\_Functions\Zoning\sketch\_maps\2020\Z-44-20.mxd



#### ZONING CASE STIPULATIONS (CASE # Z-122-00-1)

- Shat the site plan so notified to allow a miximum of the starthed pacisities of lies than 10,000 square feet, we of which shall be at least 4,000 square feet. Trata minimum 40 f2% landskaped setback by previded as revided along 19th Av

- That the face of exterior walk should include testual differences, such as eased

- illeplar location ipecific effect/
- for Through Environmental Design: prin yost of this site and approved by the Dev
- That there shall be a maximum of one squark foot of shiping or perpende mathins bereach inser bot of suilding and perceptes per by adjoining stre-5. That C2 and CPRCP data for long and temptas as the publicity state. Yes and C2 and CPRCP data for long and temptas and any and temptas oner of 1941, Arcras and Hanyy Vally Road Obserptisher any home to be individual to be despited on a distrate lag and a very set of the temptas. How the set of the temptas. If the set of temption of the set of t
- That pail offrasted inisary sta plan approval no be granizd until water and sewer
- That a Master
- reloper preserve utilize if socialize, anxior necome all manury cach preser the size. :8. This the ce
- reloper shall provide bion only appropriately spatiol and dena Tsals Plan, the applicant

Development and use of the 5 to its subject to compliance with all applicable codes and ordinascely.

Aditional rig

- 7) ALL SERVICE AREAS SHALL BE SCREENED TO CONCEAL TRASH CONTAINERS, LOADING DOCKS, TRANSFORMERS, BACKFLOW PREVENTERS, AND OTHER MECHANICAL OR if a 5 bot ELECTRICAL EQUIPMENT FORM EYE LEVEL ADJACENT TO ALL PUBLIC STREETS. 8) BARBED, RAZOR, OR CONCERTINA WIRE (OR SIMI AR)
- SHALL NOT BE USED ON THIS SITE WHERE VISIBLE FROM THE PUBLIC STREETS OR ADJACENT RESIDENTIAL AREAS. 9) ALL SIGNAGE REQUIRES SEPARATE REVIEWS. APPROVALS, AND PERMITS, NO SIGNS ARE APPROVED PER THIS PLAN.

SITE PLAN NOTES

UNDERGROUND

MAXIMUM HEIGHT OF 3'.

OUTSIDE THE SITE.

PLANS.

1) DEVELOPMENT AND USE OF THIS SITE WILL CONFORM WITH ALL APPLICABLE CODES AND ORDINANCES.

2) ALL NEW OR RELOCATED UTILITIES WILL BE PLACED

3) STRUCTURES AND LANDSCAPING WITHIN A TRIANGLE 3) STRUCTORES AND CANDICAPTING WITHIN A TRAVICLE MEASURED BACK 10' FROM THE PROPERTY LINE AND 20' ALONG THE PROPERTY LINE ON EACH SIDE OF THE DRIVEWAYS ENTRANCES WILL BE MAINTAINED AT A

4) ANY LIGHTING WILL BE PLACED SO AS TO DIRECT LIGHT

AWAY FROM THE ADJACENT RESIDENTIAL DISTRICTS AND WILL NOT EXCEED ONE FOOT CANDLE AT THE PROPERTY LINE. NO NOISE, ODOR, OR VIBRATION WILL BE EMITTED AT ANY LEVEL EXCEEDING THE GENERAL LEVEL OF NOISE,

ODOR, OR VIBRATION EMITTED BY USES IN THE AREA

5) OWNERS OF PROPERTY ADJACENT TO THE PUBLIC RIGHTS OF WAY WILL HAVE THE RESPONSIBILITY FOR MAINTAINING ALL LANDSCAPING LOCATED WITHIN THE

RIGHT OF WA, IN ACCORDANCE WITH THE APPROVED

6) ALL ROOFTOP EQUIPMENT AND SATELLITE DISHES SHALL BE SCREENED TO THE HEIGHT OF THE TALLEST EQUIPMENT.

- I CONSENT TO THE REPRODUCTION OF THIS SITE PLAN PROVIDED THAT IF MODIFICATIONS ARE MADE, THE PROFESSIONALS WHO MAKE SUCH CHANGES ASSUME FULL RESPONSIBILITY AND LIABILITY FOR THE MODIFIED PORTIONS OF THE PLAN.
- SIGNATURE OF COPYRIGHT OWNER ROBERT J. GASPARD JR. PRINTED NAME OF COPYRIGHT OWNER

#### SITE + PROJECT INFORMATION

PROP ADDRESS:	24705 N 19TH AVE LOTS 3, 4, 5, 8, 6 OF TIERAR COMMERCE PARK REPLAT (210-07-085, 210-07-086, 210-07-087, 210-07-089) (LOT COMBINATION RORD)
VILLAGE:	DEER VALLEY
OVERLAY DISTRICT:	DEER VALLEY AIRPORT OVERLAY DISTRICT
SITE AREA:	8.98 NET ACRES = 391,049 SF 9.99 GROSS ACRES = 435,112 SF
CURRENT USE:	VACANT
PHASING:	NO PHASING REQUIRED OF DEVELOPMENT
PROPOSED USE:	MULTI-FAMILY DEVELOPMENT FOR RENT
CODE INFO: W/ NFPA 13	R-2 OCCUPANCY, V-B CONSTRUCTION TYPE AUTOMATIC SPRINKLER

#### PROPO

PROPOSED DEVEL	OPMENT	ZONING REQUIRE	MENTS (PER CURRENT ZONING)
PROPOSED ZONING:	EXISTING C-2 WITH DENSITY WAIVER AND HEIGHT WAIVER PER SECTIONS 615 AND 618	ZONED CURRENTLY:	CP/GCP AND/OR C-2 (ELECTING C-2)
HEIGHT:	3 STORIES / 38' (40' HEIGHT WAIVER)	HEIGHT ALLOWED:	2 STORIES (30') ALLOWED (40' HEIGHT WAIVER)
DENSITY:	29.2 DU (30 DU/ACRE DENSITY WAIVER)	DENSITY ALLOWED:	15.23 DU/ ACRE (30 DU/ ACRE DENSITY WAIVER)
BUILDING SETBACKS;	20'@ FRONT YARD (PERIMETER STD, GOVERNS)	BUILDING SETBACKS:	10' @ FRONT YARD
	10 @ INTERIOR PROP LINE (PERIMETER STD. GOVERNS)	PERIMETER STANDARDS:	20' ADJACENT TO PUBLIC STREET 15' ADJACENT TO PROPERTY LINE PER 615 10' ADJACENT TO PROPERTY LINE PER 618
LANDSCAPING:	20' @ FRONT 5' @ INTERIOR PROPERTY LINE (703.B.3.b.(3))	LANDSCAPING:	20' @ FRONT 5' @ INTERIOR PROPERTY LINE (703.B.3.b.(3))
COMMON AREA:	= 61,602 SF (14% OF GROSS)	COMMON AREA RORD:	5% OF GROSS SITE AREA = 21,755 SF
LOT COVERAGE:	BUILDING 1 = 22.821 SF BUILDING 2 = 47.987 SF BUILDING 2 = 22.92 SF BUILDING 4 = 23.582 SF TOTAL = 84,488 SF (22% OF NET)	LOT COVERAGE MAX:	45% OF NET LOT AREA = 175,972.05 SF
PARKING LOT LANDSCAPE:	= 18,513 SF (11.7% OF LOT)	PARKING LOT LANDSCAPE:	5% REQUIRED PER 507
CARPARK SIZE:	CARPARK SIZE PROVIDED 8.5'X18'	CARPARK SIZE:	8.5' X 18' REGULAR WITH 26' AISLES 8' X 16' COMPACT
AISLES:	AISLE WIDTH 26' TWO WAY FIRE LANE WIDTH 20'		8 X 15 COMPACE
PARKING: (UNRESERVED)	STUDIC: 123 UNITS (42%) X 1 = 123 CARPARKS 1 BDROM: 114 UNITS (39%) X 1,5 = 171 CARPARKS 2 DBROM: 5 UNITS (19%) X 1,5 = 83 CARPARKS 292 TOTAL UNITS 377 REQ'D CARPARKS TOTAL	PARKING RORD.:	1 / EFFICIENCY (600 SF OR LESS) 1.5 / 1 BEDROOM 1.5 / 2 BEDROOM
	IBC 1107.6.2.1.1.2% OF THE UNITS ARE ACCESSIBLE TYPE 'A' 292 X .02 = 6 UNITS		
	TOTAL CARPARKS GATED 347 TOTAL CARPARKS UNGATED 30 TOTAL CARPARKS PROVIDED 377 (292 COVERED)		
COVERED CARPARKS:	1 PER UNIT = 292	COVERED CARPARKS RORD:	NONE
ADA PARKING:	ADA REQUIRED 8 0 STD., 8 VAN TOTAL PROVIDED 8	ADA PARKING RORD:	11'X18' WITH 5' WIDE ACCESS PER 702
BIKE PARKING:	377 CARPARKS RORD / 10 = 38 BIKE SPACE RORD TOTAL PROVIDED 38	BIKE PARKING RORD:	1 / 10 CARPARK SPACES
LOADING:	(2) 10'X30' PROVIDED	LOADING RORD:	1 PER 150 UNITS
REFUSE:	292 DWELLING UNITS 0.5 CY PER DU X 292 = 146 CY / 2X PER WEEK = 73 CY / 8 CY DUMPSTER = 10 DUMPSTERS RQRD	REFUSE:	PER MARICOPA STANDARDS
	14 DUMPSTERS PROVIDED		

#### 14 DUMPSTERS PROVIDED 10 SOLID WASTE 4 RECYCLING

GROSS BUILDING AREA:	BUILDING 1 = 60,928 SF
	BUILDING 2 = 52,435 SF
	BUILDING 3 = 64.862 SF
	BUILDING 4 = 68,522 SF
	TOTAL = 246,747 SF

ONED CURRENTLY:	CP/GCP AND/OR C-2 (ELECTING C-2)
IGHT ALLOWED:	2 STORIES (30') ALLOWED (40' HEIGHT WAIVER)
INSITY ALLOWED:	15.23 DU/ ACRE (30 DU/ ACRE DENSITY WAIVER)
ILDING SETBACKS:	10' @ FRONT YARD
RIMETER STANDARDS:	20' ADJACENT TO PUBLIC STREET 15' ADJACENT TO PROPERTY LINE PER 615 10' ADJACENT TO PROPERTY LINE PER 618
NDSCAPING:	20' @ FRONT 5' @ INTERIOR PROPERTY LINE (703.B.3.b.(3))
DMMON AREA RORD:	5% OF GROSS SITE AREA = 21,755 SF
T COVERAGE MAX:	45% OF NET LOT AREA = 175,972.05 SF
RKING LOT LANDSCAPE:	5% REQUIRED PER 507
ARPARK SIZE:	8.5' X 18' REGULAR WITH 26' AISLES 8' X 16' COMPACT
RKING RORD.:	1 / EFFICIENCY (600 SF OR LESS) 1.5 / 1 BEDROOM 1.5 / 2 BEDROOM

# **17TH AVENUE** W. HAPPY VALLEY ROAD WHESPERING WIND DR.

#### PROJECT DESCRIPTION

VICINITY MAP

W. WHISPERIN

GREENLIGHT COMMUNITES PLANS TO BULD A MULTHFAMILY COMMUNITY ON A 9,99 NET ACRE PARCEL THE SITE IS CURRENTLY VACANT. THE PROJECT CONTAINS FOUR BULDINGS WITH INTERIOR "COMMUNITY POSC, MIX OF UNITS ARE DISPRISED TROCKET THE PROJECT. EACH BULDING WILL BE WOOD FRAME CONSTRUCTION WITH WALK UP STAPS ACCESSING ALL FLOORS.

THERE WILL BE 3 TOTAL UNIT TYPES 440 F STUDIOS, 644 5 1 BEDROOM, AND USES ALL PARANCO WILL BE AT GROE SURVACE F STUDIOS, 644 5 1 BEDROOM, AND USES ALL PARANCO WILL BE AT GROE SURVACE MERGINE THE ALL AND THE STUDIOS AND THE FERNETIS. THE FAULKY ENTRANCE WILL BE FROM 19TH ANEXAGE ADDITIONAL ENTITIES ALSO FROMED AS 55000

THE COMMUNITY AMENITIES WILL INCLUDE: LEASING OFFICE, FITNESS CENTER, POOL, COMMUNITY BBQ PARK, ZENHAMMOCK GANDEN PARCE, STORAGE, ENE STORAGE, AND LAUNDRY, THESE AREAS ARE DISPERSED ABOUT THE SITE WITH THE OUTDOOR COMMON SPACES CONTAINED WITHIN INDMDUAL CONTYARDS FRONTED BY THE UNITS.

#### APPLICANTS

BURCH & CRACCHIOLI, P.A. 702 E OSBORN RD. SUITE 200 PHOENIX, AZ 85014 LEGAL: PRIMARY CONTACT ED BULL EBULL@BCATTORNEYS.COM 602-234-9913

KEMP 19HV NORTH & SOUTH LLC DEVELOPER-135 E. INDIAN BEND, SUITE #101 SCOTTSDALE, AZ 85250 DAN RICHARDS DAN@LIVEGREENLIGHT.COM 480-609-6779

ARCHITECT: WORKSBUREAU, INC. 2524 N. 24TH ST. PHOENIX, AZ 85080

ROB GASPARD RGASPARD@WORKSBURFALLCOM 602-391-4444



# **CITY OF PHOENIX** AUG 1 0 2020

**Planning & Development** Department



SHEET

COVER : PHOENIX, AZ,

CABANA HAPPY VALLEY GREENLIGHT COMMUNITIES


7 AUGUST 2020

JUNITIES

NSA

# **CABANA HAPPY VALLEY** SBURE 24TH STREET IZONA 85008 L **REZONE CASE # Z-11-00** WORKS 2524 NORTH 2-PHOENIX ARIZ +1 602 324 60





#### TRAFFIC NOTES

ALL GATES ARE TO COMPLY WITH CITY GATE RESTRICTED ACCESS REQUIREMENTS, GATED ACCESS TO ARTERIAL STREETS REQUIRE A TURN-AROUND IN FRONT OF THE GATE, GATES ARE PERMITTED THROUGH THE FIRE DEPARTMENT. THE INSTALLATION OF A CONTROLLED ACCESS (MANUAL OR AUTOMATIC) GATE ACROSS A FIRE APPARATUS ACCESS ROAD SHALL BE APPROVED BY THE FIRE CODE OFFICIAL AND MEET THE REQUIREMENTS OF SECTION 511

REPLACE UNUSED DRIVEWAYS WITH SIDEWALK AND CURB AND GUTTER. ALSO, REPLACE ANY BROKEN OR OUT-OF-GRADE CURB, GUTTER, SIDEWALK, CURB RAMPS ON ALL STREETS.

#### FIRE NOTES

THE INSTALLATION OF CONTROLLED ACCESS GATES ACROSS A FIRE APPARATUS ACCESS ROAD SHALL BE APPROVED BY THE FIRE CODE OFFICIAL AND MEET THE REQUIREMENTS OF SECTION 511. SEPARATE F157 GATE PERMIT REQUIRED.

THE REQUIRED EMERGENCY ACCESS PERMIT, GATE PERMIT, AND SPRINKLER PERMIT WILL BE DEFERRED SUBMITTALS.

KIVA# 20-1746 SDEV# 2007722

QS# 46-25 PAPP# 2010711

**CITY OF PHOENIX** 

AUG 1 0 2020

Planning & Development

Department



WORKSBUREAU 254 NORTH 24TH STREET PHOENIX ARIZONA 85008 USA +1 602 324 6000


CAPANA HABDY VALLEV	CADAIVA FIAFFT VALLET GREENLIGHT COMMUNITIES	PHOENIX, AZ, USA		
7 AUGUST 2020	N BY: EB RG SLCHECKED BY: RG	PROJECT #20109	ZONING	

DRAWN BY: EB RG S ZON Z



3 BUILDING A.11 EAST AND WEST ELEVATION ZA 2.01 3/32" = 1'-0"







# **CITY OF PHOENIX**

# AUG 1 0 2020

# Planning & Development Department

MA	TE	RIA	1L	SC	HE	DU	LE
						1.1.1	

STC1	: STUCCO, SAND FINISH W/ REVEALS AS SHOWN
STC2	: STUCCO, SMOOTH FINISH W/ REVEALS AS SHOWN
STC3	: STUCCO, HORIZ. RAKED W/ REVEALS AS SHOWN
STC4	: STUCCO, VERT. RAKED W/ REVEALS AS SHOWN
LS1	: HORIZONTAL SIDING, ALLURA LAP SIDING,
	SMOOTH ,10 – 3/4" EXPOSURE
LS2	: HORIZONTAL SIDING, ALLURA LAP SIDING,
	TEXTURED, 4" EXPOSURE
GLZ1	: UNITIZED MOLDED WINDOW SYSTEM, WHITE
	FRAME
GLZ2	: STOREFRONT WINDOW SYSTEM, CLEAR ANODIZED ALUMINUM FRAME
OTIO	METAL HODIZONITAL OHADE DOOW DANITED

STL6 : METAL HORIZONTAL SHADE BROW, PAINTED BLK1 : CMU BLOCK, PAINTED

# FINISH NOTES

- P-5 DOWNSPOUTS UNLESS NOTED OTHERWISE P-3 PERIMETER ROOF FASCIA AND SOFFIT P-5 STEEL STAIRS AND HANDRAILS

- P-5 STEEL PORCH COLUMNS P-3 COURTYARD ROOF AND PORCH FASCIA P-4 COURTYARD PORCH SOFFITS
- 1. COPING SHALL MATCH COLOR OF WALL


"S" INDICATES SMOOTH STUCCO

<u>PAINT FINISH</u> - DOORS, DOOR FRAMES AND METAL SHALL BE PAINTED SEMI-GLOSS -STUCCO, SOFFITS, AND FASCIA SHALL BE PAINTED EGG-SHELL

NOTE: - ALL VENTS, S.E.S, UTILITY BOXES, CLEAN-OUTS, ETC. SHALL BE PAINTED TO MATCH THE COLOR OF THE WALL THEY ARE PART OF UNLESS SPECIFICALLY NOTED ON THE ELEVATION DIFFERENTLY

# CABANA ON 19TH PAINT SCHEDULE

- : "OPEN SEAS" SHERWIN WILLIAMS, SW 6500 : "CLARY SAGE" SHERWIN WILLIAMS, SW 6178 P-1
- P-2




тш CABANA HAPPY VALLEY BUILDING A.11 ELEVATIONS As indicated AUGUST 2020 O ZONING

N


7

DR


# WORKSBUREAU 2524 NORTH 24TH STREET PHOENIX ARIZONA 85008 USA +1 602 324 6000













2 BUILDING B.8 NORTH ELEVATION ZA 2.02 3/32" = 1'-0"



# MATERIAL SCHEDULE

STC1	: STUCCO, SAND FINISH W/ REVEALS AS SHOWN
STC2	: STUCCO, SMOOTH FINISH W/ REVEALS AS SHOWN
STC3	: STUCCO, HORIZ. RAKED W/ REVEALS AS SHOWN
STC4	: STUCCO, VERT. RAKED W/ REVEALS AS SHOWN
LS1	: HORIZONTAL SIDING, ALLURA LAP SIDING, SMOOTH .10 – 3/4" EXPOSURE
LS2	: HORIZONTAL SIDING, ALLURA LAP SIDING, TEXTURED, 4" EXPOSURE
GLZ1	: UNITIZED MOLDED WINDOW SYSTEM, WHITE FRAME
GLZ2	: STOREFRONT WINDOW SYSTEM, CLEAR ANODIZED

- ALUMINUM FRAME STL6 : METAL HORIZONTAL SHADE BROW, PAINTED
- BLK1 : CMU BLOCK, PAINTED

# FINISH NOTES

- P-5 DOWNSPOUTS UNLESS NOTED OTHERWISE P-3 PERIMETER ROOF FASCIA AND SOFFIT
- P-5 STEEL STAIRS AND HANDRAILS
- P-5 STEEL PORCH COLUMNS
- P-3 COURTYARD ROOF AND PORCH FASCIA P-4 COURTYARD PORCH SOFFITS
- 1. COPING SHALL MATCH COLOR OF WALL

"S" INDICATES SMOOTH STUCCO


PAINT FINISH - DOORS, DOOR FRAMES AND METAL SHALL BE PAINTED SEMI-GLOSS -STUCCO, SOFFITS, AND FASCIA SHALL BE PAINTED EGG-SHELL

NOTE: - ALL VENTS, S.E.S, UTILITY BOXES, CLEAN-OUTS, ETC. SHALL BE PAINTED TO MATCH THE COLOR OF THE WALL THEY ARE PART OF UNLESS SPECIFICALLY NOTED ON THE ELEVATION DIFFERENTLY

# CABANA ON 19TH PAINT SCHEDULE

- P-1 : "OPEN SEAS" SHERWIN WILLIAMS, SW 6500
- P-2 : "CLARY SAGE" SHERWIN WILLIAMS, SW 6178 P-4 : "WESTCHESTER GRAY" SHERWIN WILLIAMS, SW 2849
- P-5 : "CHARCOAL SMUDGE" DUNN EDWARDS, DE 6370 P-6 : "CHELSEA GRAY" SHERWIN WILLIAMS, SW 2850

WORKSBUREAU 2524 NORTH 24TH STREET PHOENIX ARIZONA 85008 USA +1 602 324 6000



NO.









1 BUILDING D.6 NORTH AND SOUTH ELEVATION ZA 2.03 3/32" = 1'-0"

# MATERIAL SCHEDULE

: STUCCO, SAND FINISH W/ REVEALS AS SHOWN
: STUCCO, SMOOTH FINISH W/ REVEALS AS SHOWN
: STUCCO, HORIZ. RAKED W/ REVEALS AS SHOWN
: STUCCO, VERT. RAKED W/ REVEALS AS SHOWN
: HORIZONTAL SIDING, ALLURA LAP SIDING, SMOOTH ,10 – 3/4" EXPOSURE
: HORIZONTAL SIDING, ALLURA LAP SIDING, TEXTURED, 4" EXPOSURE
: UNITIZED MOLDED WINDOW SYSTEM, WHITE FRAME
: STOREFRONT WINDOW SYSTEM, CLEAR ANODIZED ALUMINUM FRAME

- STL6 : METAL HORIZONTAL SHADE BROW, PAINTED
- BLK1 : CMU BLOCK, PAINTED

# FINISH NOTES

- P-5 DOWNSPOUTS UNLESS NOTED OTHERWISE P-3 PERIMETER ROOF FASCIA AND SOFFIT
- P-5 STEEL STAIRS AND HANDRAILS
- P-5 STEEL PORCH COLUMNS
- P-3 COURTYARD ROOF AND PORCH FASCIA P-4 COURTYARD PORCH SOFFITS
- 1. COPING SHALL MATCH COLOR OF WALL

"S" INDICATES SMOOTH STUCCO

# PAINT FINISH


- DOORS, DOOR FRAMES AND METAL SHALL BE PAINTED SEMI-GLOSS -STUCCO, SOFFITS, AND FASCIA SHALL BE PAINTED EGG-SHELL

NOTE: - ALL VENTS, S.E.S, UTILITY BOXES, CLEAN-OUTS, ETC. SHALL BE PAINTED TO MATCH THE COLOR OF THE WALL THEY ARE PART OF UNLESS SPECIFICALLY NOTED ON THE ELEVATION DIFFERENTLY

# CABANA ON 19TH PAINT SCHEDULE


- P-1 : "OPEN SEAS" SHERWIN WILLIAMS, SW 6500
- : "CLARY SAGE" SHERWIN WILLIAMS, SW 6178 P-2 P-4 : "WESTCHESTER GRAY" SHERWIN WILLIAMS, SW 2849
- P-5 : "CHARCOAL SMUDGE" DUNN EDWARDS, DE 6370 P-6 : "CHELSEA GRAY" SHERWIN WILLIAMS, SW 2850





DATE

NO.



N

AUGUST 2020

7

DR/



<sup>3</sup> BUILDING D.7 EAST AND WEST ELEVATION ZA 2.04 3/32" = 1'-0"



2 ZA 2.04 BUILDING D.7 NORTH ELEVATION 3/32" = 1'-0"



1 BUILDING D.7 SOUTH ELEVATION ZA 2.04 3/32" = 1'-0"

# MATERIAL SCHEDULE

STC1	: STUCCO, SAND FINISH W/ REVEALS AS SHOWN
STC2	: STUCCO, SMOOTH FINISH W/ REVEALS AS SHOWN
STC3	: STUCCO, HORIZ. RAKED W/ REVEALS AS SHOWN
STC4	: STUCCO, VERT. RAKED W/ REVEALS AS SHOWN
LS1	: HORIZONTAL SIDING, ALLURA LAP SIDING, SMOOTH ,10 – 3/4" EXPOSURE
LS2	: HORIZONTAL SIDING, ALLURA LAP SIDING, TEXTURED, 4" EXPOSURE
GLZ1	: UNITIZED MOLDED WINDOW SYSTEM, WHITE FRAME
GLZ2	: STOREFRONT WINDOW SYSTEM, CLEAR ANODIZED

- ALUMINUM FRAME STL6 : METAL HORIZONTAL SHADE BROW, PAINTED BLK1 : CMU BLOCK, PAINTED

# FINISH NOTES

- P-5 DOWNSPOUTS UNLESS NOTED OTHERWISE
- P-3 PERIMETER ROOF FASCIA AND SOFFIT P-5 STEEL STAIRS AND HANDRAILS
- P-5 STEEL PORCH COLUMNS P-3 COURTYARD ROOF AND PORCH FASCIA
- P-4 COURTYARD PORCH SOFFITS
- 1. COPING SHALL MATCH COLOR OF WALL

"S" INDICATES SMOOTH STUCCO


# PAINT FINISH

- DOORS, DOOR FRAMES AND METAL SHALL BE PAINTED SEMI-GLOSS -STUCCO, SOFFITS, AND FASCIA SHALL BE PAINTED EGG-SHELL

NOTE: - ALL VENTS, S.E.S, UTILITY BOXES, CLEAN-OUTS, ETC. SHALL BE PAINTED TO MATCH THE COLOR OF THE WALL THEY ARE PART OF UNLESS SPECIFICALLY NOTED ON THE ELEVATION DIFFERENTLY

# CABANA ON 19TH PAINT SCHEDULE

- P-1 : "OPEN SEAS" SHERWIN WILLIAMS, SW 6500
- : "CLARY SAGE" SHERWIN WILLIAMS, SW 6178 : "WESTCHESTER GRAY" SHERWIN WILLIAMS, SW 2849 P-2 P-4
- P-5 : "CHARCOAL SMUDGE" DUNN EDWARDS, DE 6370




CABANA HAPPY VALLEY

AUGUST 2020 7

Ъ

WORKSBUREAU 2524 NORTH 24TH STREET PHOENIX ARIZONA 85008 USA +1 602 324 6000





ALE

V 0 2 N

20109 ZONING