


Quadrant Two Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
201	4.63	235	1063.26	1058.63
202	7.31	93	1063.66	1056.35


Quadrant One Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
101	5.23	198	1059.06	1053.83
102	4.49	198	1058.26	1053.77
103	3.98	199	1058.00	1054.02

#	Depth	#	Rim El.	Int. El.	#	Heading
47	8:13	335	106:06	105:43	N,S,W	
462	6:97	301	106:23	105:36	E,W	
463	7:53	314	106:21	105:16	N,W	
464	7:31	343	106:19	105:16	N,W	
465	6:42	51	106:13	105:21	N,W	
466	7:49	222	105:59	105:25	N,S,W	
467	6:86	402	106:25	105:39	N,W	
468	10:14	402	106:43	105:59	E,W	
469	5:58	68	106:11	105:16	N,W	
470	7:67	132	106:21	105:54	S,E	
471	4:15	413	106:11	105:16	N,W	
472	7:37	426	106:11	105:39	E,W	
473	7:41	428	106:46	105:35	W	
474	5:14	24	106:06	105:16	N,W	
475	7:99	89	105:59	105:01	N,S	
476	5:08	14	105:16	105:39	W	
477	4:09	409	105:59	105:39	E,W	
478	6:00	404	106:44	105:44	E,W	
479	5:06	405	106:10	105:54	W	
480	5:30	331	106:10	105:54	N,W	
481	7:27	122	106:25	105:21	E,W	
482	7:63	133	106:25	105:21	E,W	
483	6:34	92	106:16	105:52	N,W	

Quadrant Four Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
401	4.65	97	1062.20	1057.55

[illegible][illegible]

Quadrant One Manholes					
#	Depth	Stat	Rim El.	Inv. El.	Heading
101	7.65	670	1066.26	1058.61	E, N, W
102	5.98	348	1065.60	1059.62	W, E
104	4.83	342	1064.96	1060.13	W, E
105	3.20	551	1064.16	1060.96	E
106	7.17	174	1066.26	1059.09	N, S, E
107	7.58	141	1066.96	1059.38	N, S, W
108	6.30	348	1066.25	1059.95	W, E
109	4.96	343	1065.56	1060.60	W, E
110	3.53	551	1064.96	1061.43	E
111	6.82	260	1066.76	1059.94	N, S, E

[illegible]

Quadrant Four Manholes					
#	Depth	St	Rim Elev.	Invs. Elev.	Headline
401	10.66	331	1065.85	1053.83	S
402	10.66	331	1065.85	1053.83	S
403	10.70	183	1066.03	1053.33	NE
405				1055.57	S
406				1051.84	S
408	6.08	293	1066.46	1060.38	E, W
410	16.32	19	1067.75	1055.45	SE, N
415				1055.45	S
405	9.27	653	1067.06	1057.79	W, E
				1058.09	S
406	7.84	183	1066.27	1055.43	S
407	10.68	172	1066.27	1055.95	N, S
				1057.11	W
408	8.95	290	1067.35	1055.43	S
409	5.26	303	1067.06	1061.00	W
410	6.27	298	1067.06	1060.59	S
411	19.86	400	1066.94	1056.69	E
				1056.16	W
412	8.95	300	1067.06	1056.93	W, E
413	5.26	306	1067.06	1062.30	W
414	6.12	301	1067.26	1061.14	E, E
415	10.86	160	1067.68	1055.54	NW, S
416	12.70	14	1067.68	1055.54	W
417	4.99	297	1067.36	1061.57	E
418	1.18	312	1067.36	1059.69	S
419	7.97	312	1067.36	1059.69	E

WER -23		 City of Phoenix
------------	---	---


Quadrant One Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
101	4.17	298	1065.76	1061.59
102	5.41	367	1065.82	1060.41
103	5.25	365	1065.00	1059.75

Quadrant Four Manholes						
#	Depth	Stat	Rim El.	Inv. El.	Heading	
401	5.55	331	1066.28	1057.05	E,W,N,S	
402	7.31	330	1066.28	1057.05	E,W,N,S	
403	7.15	441	1067.06	1059.91	E,W	
404	8.61	172	1065.08	1056.99	S,E,W,N	
405	5.43	330	1066.28	1057.05	E,W,N,S	
406	6.10	412	1066.07	1059.12	E,W	
407	5.43	330	1066.28	1057.05	E,W,N,S	
408	8.06	160	1066.28	1057.05	E,W,N,S	
409	7.91	5	1064.41	1056.50	E,W	
410	7.91	5	1064.41	1056.50	N,S,E	
411	6.66	437	1065.61	1058.64	E,W	
412	6.63	437	1065.61	1058.64	E,W	
413	6.63	437	1065.61	1058.64	E,W	
414	6.16	409	1063.56	1057.40	E,W	
415	5.72	412	1064.36	1058.64	E,W	
416	5.72	412	1064.36	1058.64	E,W	
417	6.91	63	1063.50	1055.95	N,S	
418	8.62	53	1065.08	1055.95	N,S	
				1058.95	S	

[illegible]

Quadrant One Manholes						
#	Depth	Stn	Rim El.	Invert El.	Heading	
81	7.08	154	1068.12	1062.10	S, E	
102	6.33	383	1068.20	1061.87	E, W	
103	5.66	386	1068.30	1062.64	E, W	
104	5.66	387	1068.30	1063.41	E, W	
105	6.52	329	1068.68	1062.08	N, S	
106	6.41	343	1067.20	1060.79	W, N, S	
107	7.04	324	1068.00	1061.56	S, E	
108	7.00	174	1066.80	1059.80	E, W	
109	6.53	383	1067.10	1060.57	E, W	
110	6.53	384	1067.10	1060.57	E, W	
111	5.78	384	1067.10	1062.12	W	
112	6.94	343	1065.10	1059.40	E, W	
113	7.24	343	1065.10	1059.40	N, S	
114	7.08	157	1067.60	1061.35	S, E	
115	7.05	491	1066.00	1058.95	E, W	
116	7.05	491	1066.00	1058.95	E, W	
117	7.58	406	1068.00	1062.42	N, W	

Quadrant One Cleanouts				
#	Depth	Stn	Rim El.	Invert El.
101	3.94	249	1066.92	1062.96




Quadant Four Manholes					
#	Depth	Stat	Rim El.	Invt. El.	Heading
461	7.23	410	1072.96	1065.67	E, N
462	5.54	431	1072.50	1066.96	W
463	6.91	420	1071.00	1064.09	W, E
464	7.73	420	1071.30	1063.57	E, N
465	6.33	367	1071.30	1065.67	E, N
466	8.13	420	1070.70	1062.57	W, E
467	5.35	420	1070.50	1065.19	W
468	7.25	420	1071.40	1063.85	W, E
469	6.29	420	1069.50	1062.11	N
470	7.83	420	1070.40	1063.37	W, E
471	6.88	410	1070.50	1064.62	E, N
472	5.40	420	1062.15	1064.15	N, E
473	7.50	62	1072.27	1064.77	N, W, E

Quadant Four Cleanouts					
#	Depth	Stat	Rim El.	Invt. El.	
461	1064.87	88	0.60	1064.87	

[illegible]

Quadrant Two Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
202	5.30	68	1076.10	1070.80
203	8932.45	117	9999.99	1067.54

[illegible]


#	Depth	Stat	Rim El.	Invert El.
301	6.04	183	1078.80	1072.76
302	5.22	141	1079.30	1074.08
303	5.88	208	1076.20	1070.32
304	4.78	199	1076.70	1071.92
305	4.53	180	1077.20	1072.67
306	7.32	214	1078.00	1070.68

Quadrant Four Manholes						
#	Depth	Stat	Rim El.	Invc. El.	Heading	
401	8.86	192	1070.20	1062.14	S, M	
402	6.12	196	1071.10	1064.98	E, S	
403	6.12	196	1071.10	1064.98	E, S	
404	7.75	430	1071.30	1066.55	N, M	
405	5.39	428	1072.00	1067.41	W, S	
407	6.52	23	1072.00	1068.48	W, S	
408	6.58	393	1072.00	1068.82	S, M	
409	6.58	391	1073.60	1067.02	W, S	
410	6.55	156	1073.90	1067.25	S, W, E	
412	5.15	320	1078.00	1065.65	W, S	
413	5.15	320	1078.00	1065.65	W, S	
414	5.43	381	1072.80	1067.37	S, M	
415	5.96	330	1070.80	1064.84	W, S	
416	4.48	372	1073.20	1066.02	E, M	
418	5.39	369	1073.20	1066.82	E, M	
419	5.39	368	1073.20	1067.81	W, S	
420	5.44	228	1073.30	1067.86	W, S	

#	Depth	Stat	Rim El.	Invert El.
403	4.21	183	1072.80	1068.59
404	4.31	198	1072.90	1068.59
405	4.88	188	1071.50	1066.62
406	4.88	105	1072.50	1067.62

Quadrant Two Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
201	4.69	92	1079.20	1074.51

Quadrant One Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
101	4.52	122	1072.96	1068.44
102	3.49	170	1073.86	1070.37

[illegible]

Quadrant Three Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
301	4.73	138	1078.10	1073.37

Quadrant Four Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
401	5.61	60	1075.70	1070.09

#	Depth	Stat	Rim El.	Invert El.
202	3.92	228	1121.50	1117.58
204	4.77	418	1120.78	1115.93
205	5.50	220	1120.70	1115.20
206	5.28	215	1122.70	1117.42
207	5.15	115	1122.00	1116.85

Quadrant One Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
103	6.22	117	1118.00	1111.78
104	6.78	173	1118.00	1111.22

--	--	--	--	--	--	--	--



Quadrant Three Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
301	4.51	197	1126.36	1121.85
302	5.38	143	1124.40	1119.02

Quadrant Four Cleanouts				
#	Depth	Stat	Rim El.	Invert El.
403	4.09	199	1119.30	1115.21
404	4.64	200	1119.80	1115.16

[illegible]