

## Attachment F

### REPORT OF PLANNING COMMISSION ACTION September 7, 2017

ITEM NO: 7	
	DISTRICT NO.:
SUBJECT:	
Application #:	Z-TA-10-13
Request:	Amend Chapter 12 (Downtown Code) of the Phoenix Zoning Ordinance to clarify language, clean up clerical issues, and relocate provisions to appropriate sections.
Proposal:	Amend Section 1204 (Land Use Matrix) to remove conditions not applicable to any land uses, add provisions for Single Family Attached and Farmers Markets, and revise Land Use Matrix; amend Section 1205 (Frontage Types) to add provisions for development flexibility when in conflict with public utility easements, amend Section 1206 (Parking and Loading) to clarify language and reformat parking and loading tables; and amend Sections 1208 through 1222 (Character Areas) to add new frontage types and provisions for frontage flexibility per Walkable Urban (WU) Code to match existing WU Code's adopted entitlements, and incorporate frontages and flexibility language to all Character Areas.
Applicant:	City of Phoenix Planning Commission
Owner:	Planning and Development Department
Representative:	Planning and Development Department

#### **ACTIONS:**

Staff Recommendation: Approval, per the language in Exhibit A of the Addendum A Staff Report.

Village Planning Committee (VPC) Recommendation:

**Central City** 6/12/2017 Approved, with additional changes. Vote: 16-0.

**Central City** 8/14/2017 Approved, with additional changes. Vote: 12-0 (1 abstained).

Planning Commission Recommendation: Approved, as recommended by the Central City Village Planning Committee, with a modification to Section 1204.C.28.D as read into the record by staff.

Motion discussion: N/A

Motion details – Commissioner Katsenes made a MOTION to approve Z-TA-10-13 as recommended by the Central City Village Planning Committee, with a modification to Section 1204.C.28.D as read into the record by staff:

“THE PUBLIC UTILITY FACILITIES AND BUILDINGS MUST HAVE A MINIMUM 8-FOOT HIGH DECORATIVE FENCE AROUND THE PERIMETER, IF THE FACILITY IS NOT WITHIN AN ENCLOSED BUILDING STRUCTURE.”

Maker: Katsenes  
Second: Heck  
Vote: 5-1 (Glenn)  
Absent: Shank and Whitaker  
Opposition Present: No

Proposed Language:

**1201 Code Administration.**

- A. **Purpose And Intent.** The purpose of the Code is to implement the vision, goals and policies of the Downtown Phoenix Plan and provide the physical environment necessary to create a pedestrian-oriented, dynamic urban center with an authentic sense of place. The intent of the Downtown Code is to address design that impacts the public realm by establishing standards and guidelines that will allow projects to develop over time in a scale and character consistent with the Downtown Phoenix Plan AND WITH THE VISION AND GOALS OF PLANPHX.
- B. **Applicability.** The Downtown Code applies to all land uses, subdivisions, and development within the boundary specifically identified in Section 1202.B and generally bounded by McDowell Road on the north, 7th Street on the east, Buckeye Road on the south, and 7th Avenue on the west. This boundary shall be hereafter known as Downtown. If a conflict occurs between requirements of the Downtown Code and the remainder of the City of Phoenix Zoning Ordinance, the requirements of the Downtown Code shall prevail.
- C. **Approval Requirements.** Each structure and land use shall be established, constructed, reconstructed, enlarged, altered, moved or replaced in compliance with the following requirements:
1. The land use or function must be allowed by the Use Matrix in the Character Area where the site is located.
  2. Development review approval must be obtained in accordance with Section 507. of the Phoenix Zoning Ordinance demonstrating compliance with the development standards and guidelines of the Downtown Code ~~with the exception that building additions of more than 500 square feet shall be required to meet the shading requirements in Section 1207.D. Development standards are requirements and development guidelines are equivalent to design presumptions.~~
  3. STANDARDS ARE REQUIREMENTS AND GUIDELINES ARE DESIGN PRESUMPTIONS.
  43. Existing structures and land uses established legally at the time of adoption of this Code shall be subject to the provisions of Chapter 9, Nonconformities, of the Phoenix Zoning Ordinance.

54. Properties with Historic Preservation (HP) zoning are subject to the provisions of Chapter 8, Historic Preservation, of the Phoenix Zoning Ordinance in addition to the provisions of Chapter 12, Downtown Code. In the event of a conflict between the provisions of Chapter 8 and Chapter 12, the provisions of Chapter 8 shall prevail.

\*\*\*

## **1204 Land Use Matrix.**

- A. **Applicability:** The land use matrix shall replace all existing allowed land uses in the Downtown.
- B. **Use Regulations.** The regulations governing the uses of land and structures shall be set forth in the Land Use Matrix, Section 1204.D, and land use conditions in Section 1204.C. Any use not specifically listed in the Use Matrix shall not be permitted. All uses listed will be permitted (p), permitted with conditions (pc), permitted with the approval of a special permit (sp), permitted with the approval of a use permit (up) or not permitted (np).
- C. The following shall apply to uses that are permitted with conditions (pc) as indicated with a number that corresponds with the Land Use Matrix in Section 1204.D:

### **Screening:**

- ~~1. Outdoor uses or activities must be screened by a minimum 6-foot-high solid fence or masonry wall.~~
- ~~2. Outdoor uses or activities must be screened by a minimum 8-foot-high solid fence or masonry wall.~~

### **Maximum Height:**

- ~~3. No outdoor uses shall exceed a height of 10 feet.~~

### **Spacing:**

14. No use shall be located within 1,320 feet of the same type of use as measured from the exterior walls of the building or portion thereof in which the use is conducted.

### **Separation:**

25. The use shall not be located within 50 feet of a Buffer Alley identified on the map in Section 1202.F as measured from the exterior walls of a building or portion thereof in which the use is conducted to the right-of-way line of the

Buffer Alley.

36. The use shall not be located within 25 feet of a Buffer Alley identified on the map in Section 1202.F as measured from the portion of the property on which the use is conducted to the right-of-way line of the Buffer Alley.

**Environmental Quality:**

47. Noise, odor, dust, gas, heat, smoke, glare or vibration shall not be emitted at any time by the use that exceeds the general or ambient level by uses immediately off-site as compared at the parcel boundary.
- ~~8. No amplified music or loudspeakers may be used outside.~~
59. No amplified music or loudspeakers may be used outside after 8:00 p.m. on Sundays and after 10:00 p.m. on Fridays and Saturdays, unless a use permit is obtained.
610. The noise level, measured at any point on the received property, shall not exceed 55 dBa unless a use permit is obtained. An occurrence where the sound level increases up to 60 dBa for five continuous seconds or less shall not be deemed a violation of this section as long as there are no more than five occurrences within an hour-long interval.

**Maximum Size:**

- ~~11. The use shall not exceed 650 square feet of building area.~~
712. The use shall not exceed 2,500 square feet of building area.
813. The use shall not exceed 5,000 square feet of building area per tenant, unless a use permit is obtained.
914. The use shall not exceed 10,000 square feet of building area, unless a use permit is obtained.
105. The use shall not exceed 25,000 square feet of lot area.
116. The use shall not exceed 25% of the total under roof area, unless a use permit is obtained to enlarge to a maximum of 50% of the total under roof area.
127. The use shall not include more than 10 display vehicles.
- ~~18. The use shall not exceed 10% of the net floor area of the primary use.~~

**Maximum Persons:**

~~19. The use may not be conducted for more than 5 persons.~~

1320. The use may not be conducted for more than 10 persons.

1421. The use may not be conducted for more than 12 persons.

1522. The use may not employ more than 1 nonresident person.

**Hours of Operation:**

1623. The use is limited to Fridays, Saturdays and Sundays only.

1724. The use may not be conducted between the hours of 10 p.m. and 6 a.m.

~~25. The use may not be conducted between the hours of 12 a.m. and 10 a.m. from Sunday through Thursday, and between 2 a.m. and 10 a.m. from Friday through Saturday.~~

1826. The use may only be conducted between the hours of 10 a.m. and 12 midnight on Fridays and Saturdays and between 10 a.m. and 10 p.m. on Sundays, unless a use permit is obtained to extend the hours.

**Location:**

1927. The use may only occur on a site that is adjoining an arterial street.

208. Drive-through windows shall not face right-of-way and drive-through queuing must be screened from the view from the right-of-way unless approval is obtained from the Design Review Committee.

219. Used/second hand merchandise cannot be received or processed at a site in the Downtown Code Area for sale at another site. No outdoor sales or displays allowed.

2230. Outdoor crafting of art subject to the following:

- a. Must be associated with an enclosed business when the subject parcel abuts an arterial or collector street.
- b. Storage of materials associated with the crafting area shall not exceed eight feet in height and shall be limited to the rear or side yard.
- c. Storage area shall be fully screened with a solid wall or landscaping.
- d. Storage of materials associated with the crafting area exceeding eight

feet in height shall be subject to obtaining a use permit in accordance with the provisions of the Zoning Administrator section of the Zoning Ordinance.

234. Outdoor entertainment, subject to the following:

- a. Outdoor event or performances are open to the public.
- b. The outdoor event or performance must be presented by an existing business on the property.
- c. The business' regularly stocked items may be displayed outdoors and be available for purchase during the event or performance. Payment for all items shall occur indoors. No other items may be displayed for sale outdoors during the event or performance.

324. The facility shall be licensed by the State as a producer, domestic microbrewery or domestic farm winery.

~~2533~~ 26. Drug, alcohol, other substance abuse or mental health rehabilitation programs shall not be allowed as part of the shelter services.

26. FARMERS MARKETS, SUBJECT TO THE FOLLOWING:

- A. OBTAINING AN ADMINISTRATIVE TEMPORARY USE PERMIT (ATUP) IN ACCORDANCE WITH THE PROVISIONS OF SECTION 708 IF NO FOOD OR BEVERAGE IS DISPENSED FROM A VEHICLE.
- B. OBTAINING A USE PERMIT IN ACCORDANCE WITH THE PROVISIONS OF SECTION 307 IF FOOD OR BEVERAGE IS DISPENSED FROM A VEHICLE.
- C. ON-SITE OPERATIONAL CONDITIONS AND IMPROVEMENTS MAY BE STIPULATED AS A CONDITION OF AN ATUP OR USE PERMIT APPROVAL

27. SINGLE-FAMILY ATTACHED, SUBJECT TO THE FOLLOWING:

- A. HISTORIC PRESERVATION DESIGNATED PROPERTIES OR PROPERTIES IN HISTORIC PRESERVATION DISTRICTS CANNOT USE THE SINGLE-FAMILY ATTACHED DEVELOPMENT OPTION.
- B. INDIVIDUAL UNIT LOT: MINIMUM 20' WIDTH, NO MINIMUM DEPTH.

- C. PERIMETER STANDARDS: MAXIMUM 10' FOR UNITS FRONTING STREET RIGHTS-OF-WAY; MINIMUM 15' FOR UNITS SIDING STREET RIGHTS-OF-WAY. THIS AREA IS TO BE IN COMMON OWNERSHIP OR MANAGEMENT. 10' ADJACENT TO PROPERTY LINE.
  - D. BUILDING SETBACKS, INDIVIDUAL UNIT LOT: NONE.
  - E. MAXIMUM STORIES: AS PER HEIGHT MAP, SECTION 1202.C.
  - F. LOT COVERAGE PER DWELLING UNIT: 100%
  - G. COMMON AREAS: MINIMUM 5% OF GROSS AREA
  - H. ALLOWED USES: SINGLE-FAMILY ATTACHED AND HOME OCCUPATIONS PER SECTION 608
  - I. DEVELOPMENT REVIEW PER SECTION 507
  - J. DESIGN: FRONT OF UNITS SHOULD FACE RIGHT OF WAY. NO GARAGES ALLOWED TO FACE PEDESTRIAN OR SIDE STREETS.
28. PUBLIC UTILITY BUILDINGS AND FACILITIES, SUBJECT TO THE FOLLOWING:
- A. PUBLIC UTILITY BUILDINGS AND FACILITIES ARE ALLOWED WHEN NECESSARY FOR SERVING THE SURROUNDING TERRITORY.
  - B. AN ALTERNATIVE FRONTAGE TYPE PER SECTION 1205.B. AND WHICH MIMICS AN ALLOWED FRONTAGE TYPE PER THE CHARACTER AREA STREETScape STANDARDS FOR THE SITE'S LOCATION, IS REQUIRED, SUBJECT TO APPROVAL BY PLANNING AND DEVELOPMENT DEPARTMENT STAFF, OR AN APPEAL IS APPROVED BY THE DESIGN REVIEW COMMITTEE (DRC).
  - C. THE USE CANNOT BE LOCATED ON A TRANSIT STREET OR ADJACENT TO HANCE PARK.
  - D. THE PUBLIC UTILITY FACILITIES AND BUILDINGS MUST HAVE A MINIMUM 8-FOOT HIGH DECORATIVE FENCE AROUND THE PERIMETER, IF THE FACILITY IS NOT WITHIN AN ENCLOSED BUILDING STRUCTURE.

**D. Land Use Matrix.**



CHARACTER AREAS																	
LAND USE CATEGORIES		ACTIVE USE	BioMed	BC	Central Park	Commercial Corridor	Dntn Gateway	East Evergreen	Evans Churchill East	Evans Churchill West	McDowell Corridor	Roosevelt East	Roosevelt North	Roosevelt South	Townsend Park	Van Buren	Warehouse
Residential Uses																	
Assisted Living Home			pc14	pc14	pc14,20	pc14,1320	pc14	pc14	pc14	pc14	pc14,1320	pc14,1320	pc14,1320	pc14,1320	pc14,1320	pc14	pc14
***																	
Group Home			pc14	pc14	pc14,1320	pc14,1320	pc14	pc14	pc14	pc14	pc14,1320	pc14,1320	pc14,1320	pc14,1320	pc14,1320	pC,14	pc14
Live-Work	x		p	p	pc116, 1522	p	p	p	p	p	p	p	np	p	p	p	p
SINGLE-FAMILY ATTACHED			NP	NP	PC27	NP	NP	PC27	PC27	PC27	PC27	PC27	PC27	PC27	PC27	PC27	PC27
Assembly Uses																	
***																	
Day Care, Nursery School	x		p	p	pc1320, 1522	p	p	pc1320, 1522	p	p	p	p	pc1320, 1522	pc1320, 1522	p	p	p
***																	
General Retail Sales and Related Service Uses																	
Artist Studio/Gallery	x		p	p	Pc 47, 640, 1724	p	p*	Pc 47, 640, 1724	p*	p*	p	Pc 47, 640, 1724	np	Pc 47, 640, 1724	p	p	p
***																	
ACCESSORY ONLY TO BAR/LOUNGE/NIGHT CLUB																	
***																	
Brew Pub, Domestic Microbrewery, Domestic Farm-Winery	x		Up2432	Up2432	np	Up2432	Up2432	Up2432	Up2432	Up2432	Up2432	Up2432	np	Up2432	Up2432	Up2432	p2432

LAND USE CATEGORIES		CHARACTER AREAS														
	ACTIVE USE	BioMed	BC	Central Park	Commercial Corridor	Dntn Gateway	East Evergreen	Evans Churchill East	Evans Churchill West	McDowell Corridor	Roosevelt East	Roosevelt North	Roosevelt South	Townsend Park	Van Buren	Warehouse
***																
Farmers Market	x	PC26u#	PC26u#	np	PC26u#	PC26u#	PC26u#	PC26u#	PC26u#	PC26u#	PC26u#	np	PC26u#	PC26u#	PC26u#	PC26u#
***																
Restaurant	x	p	p	np	p*	p*	pc74z	p*	p*	p	p*	np	pc25*	p	p	p
ACCESSORY ONLY TO RESTAURANT/BREW PUB																
***																
- Outdoor Cooking	x	up	Pc 47, 1623	np	up	up	np	up	up	up	up	np	np	up	up	up
- Outdoor Dining	x	p	p	np	pc36*	p*	np	p*	p*	p	p*	np	pc25*	p	pc35	p
***																
Retail Sales	x	p	p	np	pc105	p	pc74z	pc944	pc105	pc105	pc944	np	pc944	pc843	p	p
Second Hand/Used Merchandise Sales	x	pc219	pc219	np	pc105, 219	pc219	pc 74z, 219	pc 944, 219	pc105, 219	pc105, 219	pc 944, 219	np	pc 944, 219	pc 843, 219	pc219	pc219
***																
Services																
Appliance Repair	x	pc 47, 649, 1724	np	np	pc 47, 649, 1724	pc 47, 649, 1724	np	pc 47, 649, 1724	pc 47, 649, 1724	pc 47, 649, 1724	pc 47, 649, 1724	np	np	pc 47, 649, 1724	p	p
***																
UTILITY AND Transportation Uses																
- Motor Vehicle Rentals	x	up	pc12z	np	up	pc12z	np	sp	sp	sp	sp	np	np	sp	up	up
- Motor	x	sp	pc12z	np	pc12z	pc12z	np	sp	sp	sp	sp	np	np	sp	pc12z	pc12z

[illegible]

[illegible]

## **1205. Frontage STANDARDSTypes.**

- A. **Intent:** The Frontage STANDARDS AND Types IN THIS SECTION regulate the area between the property line and the front facade of a building IN ORDER TO SUPPORT AN URBAN, PEDESTRIAN AND TRANSIT-ORIENTED ENVIRONMENT ~~Building frontages require that building entrances and seating areas face toward the street in order to meet the intent of activating the public realm.~~

### **B. BUILDING FAÇADE GENERAL STANDARDS.**

1. ~~PLANNING AND DEVELOPMENT DEPARTMENT STAFF THE DESIGN REVIEW COMMITTEE MAY CONSIDER A FRONTAGE DESIGN ALTERNATIVE WHEN THE DESIGN MEETS THE INTENT OF PEDESTRIAN AND TRANSIT-ORIENTED FRONTAGES AND FAÇADES. APPEALS BEYOND STAFF LEVEL MAY BE FILED BY APPLICANTS TO THE DESIGN REVIEW COMMITTEE PER SECTION 1224.~~
2. BUILDING FACADES MAY INCLUDE MULTIPLE FRONTAGE TYPES ALONG THE LENGTH OF THE PROJECT.
3. BUILDING ENTRANCES SHALL FACE TOWARD THE STREET IN ORDER TO MEET THE INTENT OF ACTIVATING THE PUBLIC REALM.
4. BUILDING FACADES SHALL BE DESIGNED TO PROVIDE A SENSE OF HUMAN SCALE AT THE GROUND LEVEL BY PROVIDING A CLEAR ARCHITECTURAL DISTINCTION BETWEEN THE GROUND FLOOR AND ALL ADDITIONAL STORIES.
  - A. SIDE AND REAR BUILDING FACADES SHOULD HAVE A LEVEL OF TRIM AND FINISH COMPATIBLE WITH THE FRONT FACADE, PARTICULARLY IF THEY ARE VISIBLE FROM THE STREET.
5. FENCE STANDARDS FOR PROPERTIES LOCATED WITHIN AN HISTORIC PRESERVATION (HP) OVERLAY DISTRICT. FENCES OR FREESTANDING WALLS IN THE FRONT SETBACK MAY NOT EXCEED A MAXIMUM HEIGHT OF THREE FEET, AND ARE CONDITIONED UPON OBTAINING A CERTIFICATE OF APPROPRIATENESS OR NO EFFECT IN ACCORDANCE WITH SECTION 812 OF THE PHOENIX ZONING ORDINANCE. THIS HEIGHT LIMITATION EXTENDS TO A POINT THREE FEET BEYOND THE FRONT CORNER(S) OF THE PRIMARY STRUCTURE.

### **C. PROJECTIONS IN THE RIGHT-OF-WAY**

1. WHERE PUBLIC UTILITY EASEMENTS, WATER/SEWER LINES OR

IRREGULAR LOT LINES CAUSE CONFLICTS WITH SPECIFIC FRONTAGE TYPES AND FRONTAGE SETBACK TYPES, PLANNING AND DEVELOPMENT STAFF MAY MODIFY NUMERIC SETBACK AND LANDSCAPE REQUIREMENTS UP TO 20 PERCENT AND ALLOW BUILD TO DIMENSIONS TO BE TAKEN FROM THE BACK OF THE PUBLIC UTILITY EASEMENT.

2. ANY PROJECTIONS INTO PUBLIC RIGHT-OF-WAY SHOULD BE PERMITTED ONLY UPON ISSUANCE OF AN ENCROACHMENT PERMIT AS ADMINISTERED BY THE CITY OF PHOENIX, AND IF APPLICABLE, APPROVAL FROM AFFECTED PUBLIC UTILITY COMPANIES.
3. A MINIMUM 16-FOOT HEIGHT CLEARANCE SHOULD BE PROVIDED FROM PUBLIC WATER/SEWER LINES, UNLESS SHADE IS RETRACTABLE OR AN ENCROACHMENT PERMIT IS SECURED FROM THE CITY OF PHOENIX.

**DB. FRONTAGE TYPE: Active Front Yard.**

\*\*\*

2. ~~**Single-family residential units.** No vehicle parking or maneuvering shall be permitted within the Active Front Yard with the exception of a driveway no greater than 16 feet in width to provide access to the rear of the property.~~

\*\*\*

23. A permanent hardscaped or landscaped area shall be provided in accordance with the following standards:

\*\*\*

34. **Fences.** Maximum height 40 inches.  
~~For properties located within an Historic Preservation (HP) Overlay District, fences or freestanding walls in the front yard, meaning the space between the structure and the street right-of-way line, may not exceed a maximum height of three feet, and are conditioned upon obtaining a Certificate of Appropriateness or No Effect in accordance with Section 812 of the Phoenix Zoning Ordinance. This height limitation extends to a point three feet beyond the front corner(s) of the primary structure.~~

45. A minimum of one primary entrance shall be provided along each frontage that directly connects to the street, unless a corner entrance is provided.

56. The area between the property line and main facade of the building which is not improved with permanent hardscape shall be landscaped in accordance with Section 1207.E, Landscaping Standards.

\*\*\*

**EG. FRONTAGE TYPE: Dooryard.**

\*\*\*

3. **Fences.** Maximum height six feet.

~~For properties located within an Historic Preservation (HP) Overlay District, fences or freestanding walls in the front yard, meaning the space between the structure and the street right-of-way line, may not exceed a maximum height of three feet, and are conditioned upon obtaining a Certificate of Appropriateness or No Effect in accordance with Section 812 of the Phoenix Zoning Ordinance. This height limitation extends to a point three feet beyond the front corner(s) of the primary structure.~~

\*\*\*

**FD. FRONTAGE TYPE: Stoop/Door Well.**

\*\*\*

3. **Fences.** Maximum height 40 inches.

~~For properties located within an Historic Preservation (HP) Overlay District, fences or freestanding walls in the front yard, meaning the space between the structure and the street right-of-way line, may not exceed a maximum height of three feet, and are conditioned upon obtaining a Certificate of Appropriateness or No Effect in accordance with Section 812 of the Phoenix Zoning Ordinance. This height limitation extends to a point three feet beyond the front corner(s) of the primary structure.~~

\*\*\*

**GE. FRONTAGE TYPE: Storefront Standards.**

1. **Definition:** A Storefront means the area between the property line and main facade of the building when the building is located within 10 feet of the property line and which includes a ground floor elevation with a high percentage of transparent windows to create visual interest from the adjacent public sidewalk. THIS A-Storefront FRONTAGE is traditionally used for retail, LIVE/WORK, AND OTHER NON-RESIDENTIAL ACTIVE USES frontage and MAY typically includes a cantilevered canopy or awning.

\*\*\*

H. <b>FRONTAGE TYPE: COMMON ENTRY.</b> THIS FRONTAGE TYPE IS APPROPRIATE WHEN AN ENTRANCE ON THE GROUND FLOOR IS REQUIRED AS THE MAIN ACCESS TO UPPER FLOOR RESIDENTIAL AND COMMERCIAL UNITS. THIS TYPE SHOULD BE USED IN CONJUNCTION WITH OTHER FRONTAGE TYPES TO ACHIEVE THE MINIMUM REQUIREMENT FOR ACTIVE USES ON THE GROUND FLOOR.
<b>REQUIREMENTS</b>

1. A COLLECTIVE ENTRY TO A MULTI-TENANT LOBBY IS REQUIRED AT THE PRIMARY BUILDING ENTRANCE FACING THE STREET.
  - A. ENTRY SHOULD BE DESIGNED TO PROVIDE A CLEAR ARCHITECTURAL DISTINCTION FROM THE REST OF THE DEVELOPMENT.
2. ENTRY GRADE: UP TO 60-INCH MAXIMUM FROM SIDEWALK GRADE.
3. IF THE FRONTAGE INCLUDES A STOOP ENTRANCE:
  - A. STOOP MINIMUM DIMENSION: 6-FEET
  - B. MINIMUM AREA: 36 SQUARE FEET
4. STOOPS AND RELATED STRUCTURES MAY PROJECT INTO *FRONTAGE* SETBACKS NO MORE THAN 10 FEET.

- I. **FRONTAGE TYPE: FORECOURT.** THE FORECOURT FRONTAGE TYPE IS APPROPRIATE FOR EITHER RESIDENTIAL OR COMMERCIAL DEVELOPMENT. THE FORECOURT MAY BE USED AS AN ENTRY COURT AND SHARED GARDEN SPACE FOR RESIDENTIAL USES, OR AS ADDITIONAL SHOPPING OR RESTAURANT SEATING AREAS FACING THE STREET.

#### REQUIREMENTS


1. FORECOURTS ARE ALLOWED TO SETBACK FROM MAXIMUM SETBACK STANDARDS IN ALL CHARACTER AREAS.
2. FORECOURT AREAS SHOULD BE A MINIMUM OF 500 SQUARE FEET WITH A MINIMUM DIMENSION OF 20-FEET PARALLEL TO THE STREET.
3. A MAXIMUM HEIGHT OF 40-INCH OPEN VIEW FENCE PERMITTED AT OUTDOOR SEATING AREAS AND AT BUILDING SETBACK LINES.
4. VEHICULAR PARKING, LOADING AND MANEUVERING WITHIN THE FORECOURT ARE NOT PERMITTED.
5. A MINIMUM OF 50 PERCENT OF FORECOURT AREA SHALL BE SHADED, OF WHICH 50 PERCENT OF THE SHADE SHOULD BE PROVIDED BY TREES OR TRELLISED VINES.
6. RIGHT-OF-WAY SHADE REQUIREMENTS AS PER SECTION 1207.E.



#### ACTIVATION AND GLAZING

7. NON-RESIDENTIAL FORECOURTS: FORECOURT GROUND FLOOR SHOULD BE LINED WITH ACTIVE USES. 75 PERCENT MINIMUM GLAZING REQUIREMENT FOR FRONTAGES WITHIN THE FORECOURT.
8. GLAZING AT STREET FRONTAGE: MINIMUM OF 75 PERCENT OF THE STOREFRONT AREA ALONG A PRIMARY STREET GROUND FLOOR FRONTAGE AND 50 PERCENT ON SECONDARY STREET GROUND FLOOR FRONTAGE.



<p>J. <b>FRONTAGE TYPE: PORCH.</b> THIS FRONTAGE TYPE INCLUDES A COVERED STRUCTURE ENCLOSING AN OUTDOOR AREA DEEP ENOUGH TO ENSURE USABILITY. THE PORCH PROVIDES A TRANSITION BETWEEN PUBLIC AND PRIVATE SPACE, AND CREATES OPPORTUNITY FOR INTERACTION BETWEEN NEIGHBORS.</p>	
<p><b>REQUIREMENTS</b></p> <ol style="list-style-type: none"> <li>1. ENTRY GRADE: MAXIMUM OF FIVE FEET ABOVE ADJACENT GRADE</li> <li>2. A PORCH IS REQUIRED AT THE PRIMARY BUILDING ENTRY.</li> <li>3. A PRIMARY BUILDING ENTRANCE PER UNIT IS REQUIRED WHEN FRONTING A STREET.</li> <li>4. MINIMUM DEPTH: 6-FEET</li> <li>5. MINIMUM WIDTH: 50 PERCENT OF THE FAÇADE.</li> <li>6. PORCHES AND RELATED STRUCTURES MAY PROJECT INTO FRONTAGE SETBACK NO MORE THAN 10 FEET.</li> </ol>	

\*\*\*

#### KG. **Side Street Standards.**

\*\*\*

### 1206 Parking and Loading ~~Standards and Guidelines.~~

A. **Applicability.** The following standards shall apply to all property within the Downtown Area unless modified by the Character Area.

B. **DRIVEWAY STANDARDS.** DRIVEWAY WIDTH: MAXIMUM 24 FEET.

#### CB. **Parking AND LOADING Standards**

1. VEHICLE P~~P~~arking shall be provided in accordance with the following standards: ~~with the exception that no parking is required for nonresidential uses in the Business Core and Warehouse Character Areas.~~

\*\*\*

2. No parking shall be allowed between the front of the building and sidewalk.

- A. **SINGLE-FAMILY RESIDENTIAL UNITS.** NO VEHICLE PARKING OR MANEUVERING SHALL BE PERMITTED WITHIN THE FRONT YARD WITH THE EXCEPTION OF A DRIVEWAY NO GREATER THAN 16 FEET IN WIDTH.

\*\*\*

DG. **Loading Standards.** On-site loading bays shall be a minimum of ten feet in width and 30 feet in length and be used for the standing, loading and unloading of

vehicles.

\*\*\*


D. **Driveway Standards.** Driveway width: maximum 24 feet.

E. **Parking and Loading Guidelines.**

34. **Parking and loading placement.**

Off-street parking and loading should be provided in accordance with the following standards:

Parking and loading should only be allowed in the shaded area as shown in the diagram below, unless subterranean.



Key code for surface parking diagram: (1) front setback from street right-of-way: 30 feet or behind building (whichever is less restrictive), (2) side landscape setback from street right-of-way: ten feet, (3) interior side yard setback: zero feet, and (4) rear setback: zero feet.

42. **Parking and loading access.**

- a. Pedestrian Streets should not have Pparking ANDor loading access if SHOULD BE PROVIDED AS FOLLOWS: an alley or Side Street access is available.

PARKING AND LOADING ACCESS TABLE		
CONDITIONS	PRIMARY ACCESS	SECONDARY ACCESS
COMPATIBLE ALLEY AND COMPATIBLE SIDE STREET(S)	ALLEY	SIDE
COMPATIBLE ALLEY AND PEDESTRIAN STREET	ALLEY ONLY	PER SECTION 1224
COMPATIBLE SIDE STREET AND PEDESTRIAN STREET	SIDE ONLY	PER SECTION 1224

PARKING AND LOADING ACCESS TABLE		
CONDITIONS	PRIMARY ACCESS	SECONDARY ACCESS
2+ COMPATIBLE SIDE STREETS AND PEDESTRIAN STREET	SIDE	SIDE OR PER SECTION 1224
PEDESTRIAN STREET ONLY	SHARED ACCESS OR ONE PEDESTRIAN STREET.	PER SECTION 1224

\*\*\*

b. *Driveways.*

\*\*\*

~~Access may be from one of the Pedestrian Streets for projects with multiple Pedestrian Streets and no Side Street.~~

\*\*\*

(5) ~~Site vehicular access should be provided according to the following table:~~

<b>Conditions</b>	<b>Primary Access</b>	<b>Secondary Access</b>
<del>Compatible Alley and Compatible Side(s)</del>	<del>Alley</del>	<del>Side</del>
<del>Compatible Alley and Front Street</del>	<del>Alley Only</del>	<del>None</del>
<del>Compatible Side and Front Street</del>	<del>Side Only</del>	<del>None</del>
<del>2+ Compatible Side Streets and Front Street</del>	<del>Side</del>	<del>Side</del>
<del>Front Street Only</del>	<del>Shared Access or Refer to Section 1206.E.2.b.3</del>	

\*\*\*

53. **Subterranean parking guideline.** Subterranean parking may extend to a height of five feet above finished grade; provided, that the garage perimeter wall either aligns with the face of the building, or becomes part of a stoop or dooryard frontage.

## 1207 General Standards and Guidelines.

\*\*\*

E. **Shade Standards.** ~~All buildings over 5,000 square feet shall provide the following:~~

- ALL BUILDINGS OVER 5,000 SQUARE FEET SHALL PROVIDE THE FOLLOWING: A minimum of 75 percent of public sidewalks shall be shaded.
  - A MINIMUM OF 75 PERCENT OF PUBLIC SIDEWALKS SHALL BE SHADED.
- ~~A minimum of 50 percent of all accessible public and private open space areas shall be shaded, of which 50 percent of the shade shall be provided~~

by trees or trellised vines.

(B) A MINIMUM OF 50 PERCENT OF ALL ACCESSIBLE PUBLIC AND PRIVATE OPEN SPACE AREAS SHALL BE SHADED, OF WHICH 50 PERCENT OF THE SHADE SHALL BE PROVIDED BY TREES OR TRELLISED VINES.

3. ~~Shade calculations shall be based on the summer solstice at 12:00 p.m.~~

(C) SHADE CALCULATIONS SHALL BE BASED ON THE SUMMER SOLSTICE AT 12:00 P.M.

4. ~~Shade cast from a building shall count towards shade calculations.~~

(D) SHADE CAST FROM A BUILDING SHALL COUNT TOWARDS SHADE CALCULATIONS.

2. BUILDING ADDITIONS OF MORE THAN 500 SQUARE FEET SHALL BE REQUIRED TO MEET THE SHADING REQUIREMENTS.

\*\*\*

## 1208 Biomed.

\*\*\*

<b>Streetscape Standards Matrix</b>						
<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
***						
4th Street Garfield St. to Fillmore St.	5'	10'	Minimum 75%	SD, S, GA, FC	6'	8'
5th Street Garfield St. to Fillmore St.	0'	5'	Minimum 75%	S, GA, FC	10'	10'
***						
6th Street Garfield St. to Fillmore St.	5'	10'	Minimum 75%	SD, S, GA, FC	10'	10'

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

**1209 Business Core.**

\*\*\*

<b>Streetscape Standards Matrix</b>						
<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>

\*\*\*

Taylor Street 1st St. to 3rd St.	5'	5'	Minimum 75%	S, GA, S <del>Y</del>	8'	6'
Polk Street Central Ave. to 2nd St.	0'	5'	Minimum 75%	S, GA, S <del>Y</del>	8'	6'

\*\*\*

Adams Street 8 <del>7</del> th Ave. to 7th Ave.	0'	5'	Minimum 75%	ALL	5'	8 <del>4</del> 0'
Adams Street 7th Ave. to 3rd Ave.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Adams Street 3rd Ave. to 2nd St.	0'	5'	Minimum 75%	S, GA, CE	10'	6'
Washington Street 8th Ave. to 2nd St.	0'	5'	Minimum 75%	S, GA, CE	10'	6'
Washington Street 2nd St. to 7th St.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Jefferson Street 8th Ave. to 3rd Ave.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Jefferson Street	0'	5'	Minimum 75%	S, GA, CE	10'	6'

3rd Ave. to 5th St.						
Jefferson Street 5th St. to 7th St.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Madison Street 8th Ave. to 7th Ave.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Madison Street 5th Ave. to 1st St.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Jackson Street 7th Ave. to 5th Ave.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Jackson Street 4th Ave. to 1st Ave.	0'	5'	Minimum 75%	S, GA, CE	8'	6'
Jackson Street 1st St. to 4th St.	0'	5'	Minimum 75%	S, GA, CE	10'	6'

\*\*\*

3rd Avenue Fillmore St. to Van Buren St.	5'	10'	Minimum 75%	SD, DY, S, GA, FC, PO	8'	6'
---	----	-----	-------------	-----------------------	----	----

\*\*\*

8th Avenue Adams St. to Madison St.	5'	10'	Minimum 75%	S, GA, S, Y	8'	6'
--	----	-----	-------------	-------------	----	----

\*\*\*

3rd Avenue Fillmore St. to Van Buren St.	5'	10'	Minimum 75%	SD, DY, S, GA, FC, PO	8'	6'
---	----	-----	-------------	-----------------------	----	----

\*\*\*

5th Street Van Buren St. to Jefferson St.	5'	10'	Minimum 50%	S, GA, <del>SY</del>	8'	6'
---	----	-----	----------------	----------------------	----	----

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

(1) Per plans approved by Street Transportation Department.

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1210 Central Park.

\*\*\*

### Streetscape Standards Matrix

<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
Tonto Street Alley west of 1st St. to 4th St.	5'	25'	Minimum 50%	AFY, SD, DY, <del>POSY</del>	5'	7'
Hadley Street Alley west of 1st St. to 1st St.	5'	25'	Minimum 50%	AFY, SD, DY, PO	5'	7'
Hadley Street 1st St. to 2nd St.	15'	25'	Minimum 50%	AFY, SD, DY, PO	5'	7'
Hadley Street 2nd St. to 4th St.	5'	25'	Minimum 50%	AFY, SD, DY, S, CE, PO	5'	7'
1st Street South of Grant St. to north of Buckeye Rd.	15'	25'	Minimum 50%	AFY, SD, DY, S, PO	5'	7'

2nd Street South of Grant St. to north of Buckeye Rd.	15'	25'	Minimum 50%	AFY, SD, DY, PO	5'	7'
3rd Street South of Grant St. to north of Hadley St.	15'	25'	Minimum 50%	AFY, SD, DY, PO	5'	15'
4th Street South of Grant St. to Hadley St.	15'	25'	Minimum 50%	AFY, SD, DY, PO	5'	None Required*

AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~)  
Side Yard, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*Seven-foot front yard landscape required for developments with a net area greater than 20,000 square feet.

\*\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1211 Commercial Corridors.

\*\*\*

### Streetscape Standards Matrix

<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
<b>7th Avenue Corridor</b>						

\*\*\*

Roosevelt Street Alley east of 7th Ave. to alley west of 7th Ave.	5'	10'	Minimum 50%	AFY, SD, DY, S, <del>SY</del>	5'	6' or greater if established
McKinley Street Alley east of 7th Ave. to alley west of 7th	5'	10'	Minimum 50%	AFY, SD, DY, S, <del>SY</del>	5'	5' west of 7th Ave. 9' east of 7th Ave.



Ave.						
Pierce Street 7th Ave. to alley west of 7th Ave.	5'	10'	Minimum 50%	AFY, SD, DY, S, <del>SY</del>	5'	5'
Fillmore Street Alley east of 7th Ave. to alley west of 7th Ave.	5'	10'	Minimum 50%	AFY, SD, DY, S, <del>SY</del>	5'	7' or greater if established
<b>Central Avenue South Corridor</b>						

\*\*\*

Grant Street 2nd Ave. to 2nd St.	5'	10'	Minimum 50%	SD, DY, S, <del>SY</del>	5'	10'
Sherman Street 2nd Ave. to 1st Ave. crossover	5'	10'	Minimum 50%	SD, DY, S, <del>SY</del>	5'	6'
Hadley Street 1st Ave. to alley east of Central Ave.	5'	10'	Minimum 50%	SD, DY, S, <del>SY</del>	5'	7'
Tonto Street 1st Ave. to alley east of Central Ave.	5'	10'	Minimum 50%	SD, DY, S, <del>SY</del>	5'	7'

\*\*\*

4th Street Tonto St. to Buckeye Rd.	10'	20'	Minimum 50%	AFY, SD, DY, S, <del>SY</del>	5'	5'
--	-----	-----	----------------	----------------------------------	----	----

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~) ~~Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*Seven-foot front yard landscape required for developments with a net area greater than 20,000 square feet.

\*\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1212 Downtown Gateway.

\*\*\*

<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
-----------------------	---------------------------------	---------------------------------	--------------------------	-------------------------------	-------------------------------	---------------------------------------

\*\*\*

McDowell Road 1st Ave. to Alvarado Rd.	0'	5'	Minimum 75%	SD, GA, S	8'	8'
---	----	----	-------------	-----------	----	----

\*\*\*

1st Avenue Alley north of Almeria Rd. to McDowell Rd.	5'	20'	N/A	SD, <del>SY</del>	8'	8'
1st Avenue Roosevelt St. to McKinley St.	0'	5'	Minimum 75%	<del>SD, GA, S</del> ALL	8'	8'
1st Avenue McKinley St. to Fillmore St.	0'	5'	Minimum 75%	<del>SD, GA, S</del> ALL	8'	8'

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~) ~~Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1213 East Evergreen.

\*\*\*

<b>Building Standards Matrix</b>						
<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
Lynwood	15'	25'	Minimum	AFY, PO	5'	5' North

Street West of 7th St. to 4th St.			50%			4' South
Willetta Street West of 7th St. to east of 3rd St.	15'	25'	Minimum 50%	AFY, PO	5'	14'
5th Street South of McDowell Rd. to I-10 Freeway	5'	15'	Minimum 50%	AFY, PO, DY, SY	5'	14'

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~) Side Yard, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1214 Evans Churchill East.

\*\*\*

### Streetscape Standards Matrix

<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
Moreland Street 3rd St. to 7th St.	10'	20'	Minimum 75%	AFY, SD, DY, PO, FC	5'	15'
Portland Street 3rd St. to 7th St.	10'	20'	Minimum 75%	AFY, SD, DY, PO, FC	5'	15'

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~) Side Yard, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

**1215 Evans Churchill West.**

\*\*\*

**Streetscape Standards Matrix**

<b><i>Street Section</i></b>	<b><i>Minimum Building Setback</i></b>	<b><i>Maximum Building Setback</i></b>	<b><i>Building Frontage</i></b>	<b><i>Allowed Frontage Types</i></b>	<b><i>Minimum Sidewalk Width</i></b>	<b><i>Minimum Streetscape Zone Width</i></b>
Moreland Street 1st St. to 3rd St.	5'	15'	Minimum 50%	SD, DY, S, GA, S¥	5'	15'
Portland Street Alley east of Central Ave. to 3rd St.	5'	15'	Minimum 50%	SD, DY, S, GA, S¥	5'	15'

\*\*\*

Garfield Street Alley east of Central Ave. to 4th St.	5'	15'	Minimum 50%	SD, DY, S, GA, S¥	5'	15'
McKinley Street Alley east of Central Ave. to 4th St.	5'	15'	Minimum 50%	SD, DY, S, GA, S¥	5'	15'
Pierce Street Alley east of Central Ave. to 2nd St. and 3rd St. to 4th St.	5'	15'	Minimum 50%	SD, DY, S, GA, S¥	5'	10'
Fillmore Street Alley east of Central Ave. to 5th St.	5'	15'	Minimum 50%	DY, S, GA, S¥	8'	6'

Fillmore Street 1st St. to 2nd St.	5'	15'	Minimum 50%	DY, S, GA, <del>SY</del>	5'	10'
Fillmore Street 2nd St. to 3rd St.	5'	15'	Minimum 50%	DY, S, GA, <del>SY</del>	5' North 8' South	5' North 7' South
Fillmore Street 3rd St. to 5th St.	5'	15'	Minimum 50%	DY, S, GA, <del>SY</del>	8' North 5' South	7' North 10' South

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~) ~~Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

(1) Per plans approved by Street Transportation Department.

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1216 McDowell Corridor.

\*\*\*

### Streetscape Standards Matrix

<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
-----------------------	---------------------------------	---------------------------------	--------------------------	-------------------------------	-------------------------------	---------------------------------------

\*\*\*

Lynwood Street East of 7th Ave. (north side only)	15'	20'	Minimum 50%	AFY, SD, DY, PO	5'	10'
Lynwood Street 5th St. to west of 7th St.	15'	20'	Minimum 75%	AFY, SD, DY, PO	5'	10'

\*\*\*

5th Avenue Alley north of McDowell Rd. to alley south of	5'	15'	Minimum 50%	SD, S, <del>SY</del>	5'	11'
--	----	-----	----------------	----------------------	----	-----

McDowell Rd.						
3rd Avenue Alley north of McDowell Rd. to alley south of McDowell Rd.	5'	15'	Minimum 75%	SD, S, SY	5'	As Established

\*\*\*

5th Street McDowell Rd. to Lynwood St.	5'	15'	Minimum 50%	SD, S, SY	5'	15'
--	----	-----	-------------	-----------	----	-----

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, (~~SY~~) Side Yard, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*Five-foot street side landscape setback required for developments greater than 20,000 square feet net area.

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1217 Roosevelt East.

\*\*\*

<b>Building Standards</b>						
<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>

\*\*\*

McKinley Street 3rd Ave. to alley west of 1st Ave.	0'	10'	Minimum 50%	SD, DY, SY	5'	10'
Fillmore Street 3rd Ave. to alley west of 1st Ave.	0'	10'	Minimum 50%	SD, DY, SY	5'	10' North Side 6' South Side

\*\*\*

2nd	20'	20'	Minimum	AFY, SD,	10' <sup>(1)</sup>	
-----	-----	-----	---------	----------	--------------------	--

Avenue Roosevelt St. to McKinley St.			50%	DY, S, PO, FC		
2nd Avenue McKinley St. to Fillmore St.	10'	20'	Minimum 75%	AFY, SD, S, PO, FC	10' <sup>(1)</sup>	
3rd Avenue Latham St. to Roosevelt St.	0'	10'	Minimum 50%	SD, DY, S, SY	6'	As Established
3rd Avenue Roosevelt St. to McKinley St.	20'	20'	Minimum 50%	AFY, SD, S, PO, FC	6'	14'
3rd Avenue McKinley St. to Fillmore St.	10'	20'	Minimum 50%	AFY, SD, S, PO, FC	6'	14'

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

<sup>(1)</sup> Per plans approved by the Street Transportation Department

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1218 Roosevelt North.

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1219 Roosevelt South.

\*\*\*

***Streetscape Standards Matrix***

<b>Street Section</b>	<b>Minimum Building Setback</b>	<b>Maximum Building Setback</b>	<b>Building Frontage</b>	<b>Allowed Frontage Types</b>	<b>Minimum Sidewalk Width</b>	<b>Minimum Streetscape Zone Width</b>
-----------------------	---------------------------------	---------------------------------	--------------------------	-------------------------------	-------------------------------	---------------------------------------

\*\*\*

6th Avenue Roosevelt St. to Fillmore St.	20'	25'	Minimum 50%	AFY, SD, DY, PO, FC, S	5'	6'
5th Avenue Roosevelt St. to Fillmore St.	20'	25'	Minimum 50%	AFY, SD, DY, PO, FC, S	5'	14'
4th Avenue Roosevelt St. to Fillmore St.	20'	25'	Minimum 50%	AFY, SD, DY, PO, FC, S	5'	15'
3rd Avenue Roosevelt St. to Fillmore St.	20'	25'	Minimum 50%	AFY, SD, DY, PO, FC, S	5'	15'

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1220 Townsend Park.

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*Five-foot street side landscape required for developments with a net area greater than 20,000 square feet.

\*\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1221 Van Buren.

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

## 1222 Warehouse.

\*\*\*

(AFY) Active Front Yard, (SD) Stoop/Door Well, (DY) Dooryard, (S) Storefront, (GA) Gallery/Arcade, ~~(SY) Side Yard~~



~~Side Yard~~, (CE) COMMON ENTRY, (FC) FORECOURT, (PO) PORCH, (ALL) All Frontage Types

\*ALTERNATIVE FRONTAGE TYPE MAY BE SELECTED AS PER SECTION 1205.B.

\*\*\*

This publication can be made available in alternate format upon request. Please contact Tamra Ingersoll at (602) 534-6648, TTY use 7-1-1.