

ATTACHMENT E

REPORT OF PLANNING COMMISSION ACTION May 2, 2024

ITEM NO: 6

DISTRICT NO.: 7

SUBJECT:

Application #:	Z-9-24-7 (Continued from April 4, 2024)
Location:	Northwest corner of 83rd Avenue and Broadway Road
From:	S-1
To:	C-2 and C-2 HGT/WVR DNS/WVR
Acreage:	18.80
Proposal:	Commercial and multifamily residential
Applicant:	Stephanie Watney, Withey Morris Baugh, PLC
Owner:	New World Properties, Inc., Manager of New Era Phoenix, LLC
Representative:	Stephanie Watney, Withey Morris Baugh, PLC

ACTIONS:

Staff Recommendation: Approval, subject to stipulations.

Village Planning Committee (VPC) Recommendation:

Estrella 2/20/2024 Continued. Vote 8-0.

Estrella 3/19/2024 No quorum.

Estrella 4/16/2024 Approval, per the staff recommendation with deletions, a modification, and an additional stipulation. Vote 9-0.

Planning Commission Recommendation: Approval, per the staff memo dated April 29, 2024.

Motion Discussion: N/A

Motion details: Commissioner Gorraiz made a MOTION to approve Z-9-24-7, per the staff memo dated April 29, 2024.

Maker: Gorraiz
Second: Jaramillo
Vote: 9-0
Absent: N/A
Opposition Present: Yes

Findings:

1. The proposal is compatible with the General Plan Land Use Map designation and will provide commercial and residential opportunities within the Estrella Village.
2. The proposal contains enhanced standards that will result in a more walkable, shaded and pedestrian-friendly environment. The proposal will provide increased shade which will help to reduce the urban heat island effect.
3. As stipulated, the proposed development will include development and design standards such as enhanced streetscapes, and landscape buffer and planting standards, to mitigate impacts to the surrounding properties.

Stipulations:

Overall Development

1. The development shall conform with the Estrella Village Arterial Street Landscaping Program landscape palette and landscaping standards along arterial streets in the Estrella Village, except as otherwise noted herein, as approved by the Planning and Development Department.
2. Only landscape materials listed in the Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List shall be utilized internal to the site, as approved or modified by the Planning and Development Department.
3. A minimum of 25% of the surface parking areas shall be shaded, as approved by the Planning and Development Department. Shade may be achieved by structures or by minimum 2-inch caliper, drought tolerant, shade trees, or a combination thereof.
4. Landscaping shall be maintained by permanent and automatic/water efficient WaterSense labeled irrigation controllers (or similar smart controller) to minimize maintenance and irrigation water consumption for all on and offsite landscape irrigation.
5. Pressure regulating sprinkler heads and drip lines shall be utilized in any turf areas to reduce water waste.
6. A minimum of two green infrastructure (GI) techniques for stormwater management shall be implemented per the Greater Phoenix Metro Green Infrastructure and Low-Impact Development Details for Alternative Stormwater Management, as approved or modified by the Planning and Development Department.
7. Where pedestrian walkways cross a vehicular path, the pathway shall be constructed of decorative pavers, stamped or colored concrete, or other pavement treatments that visually contrasts parking and drive aisle surfaces, as approved by the Planning and Development Department.
8. A minimum of 10% of the required shrubs, shall be a milkweed or other native nectar species, and shall be planted in groups of three or more, as approved by the Planning and Development Department.
9. A bus stop pad shall be constructed on westbound Broadway Road, locate from 83rd Avenue according to City of Phoenix Standard Detail P1258. The bus pad shall be designed according to City of Phoenix Standard Detail P1260 with a depth of 10 feet.
10. A minimum 55-feet of right-of-way shall be dedicated for the west half of 83rd Avenue, adjacent to the development.
11. A minimum 70-foot flared intersection tapering to a minimum 55-foot right-of-way shall be dedicated for the west half of 83rd Avenue, adjacent to the development.
12. DEDICATION OF RIGHT-OF-WAY AND CONSTRUCTION OF ALL ROADWAY IMPROVEMENTS TO THE WEST HALF OF 83RD AVENUE SHALL BE FOR THE ENTIRE EXTENT OF THE REZONING BOUNDARY AND COMPLETED DURING THE FIRST PHASE OF DEVELOPMENT. Improvements to the west half of 83rd Avenue shall be consistent with the arterial CM cross section consisting of a 14-foot

raised and landscaped center median and a minimum 6-foot-wide detached sidewalk separated by a minimum 10-foot-wide landscape area, adjacent to the development. The landscape strip shall be planted with minimum 2-inch caliper, single trunk, drought-tolerant, shade trees to provide a minimum of 75% shade, as approved by the Planning and Development Department. Where utility conflicts exist, the developer shall work with the Planning and Development Department on alternative design solutions consistent with a pedestrian environment.

- ~~13.~~ ~~A minimum 55 feet of right of way shall be dedicated for the north half of Broadway Road, or as approved by Maricopa County.~~
- ~~14.~~ ~~All street improvements to Broadway Road are outside of Phoenix City Limits and shall be reviewed and approved by Maricopa County. Documentation of the county review and approval shall be provided prior to Preliminary Site Plan approval.~~
- 13. THE DEVELOPER SHALL DEDICATE AND CONSTRUCT ALL ROADWAY IMPROVEMENTS ALONG BROADWAY ROAD FOR THE ENTIRE EXTENT OF THE REZONING BOUNDARY DURING THE FIRST PHASE OF DEVELOPMENT AND IN COORDINATION WITH REVIEW AND APPROVAL FROM MARICOPA COUNTY DEPARTMENT OF TRANSPORTATION. DOCUMENTATION OF THE COUNTY REVIEW AND APPROVAL SHALL BE PROVIDED PRIOR TO PRELIMINARY SITE PLAN APPROVAL.
- ~~15.~~ 14. A minimum 30-foot wide Multi-Use Trail Easement (MUTE) shall be dedicated adjacent to Broadway Road. Construction of the Multi-Use Trail shall comply with the Estrella Multi-Purpose Trail Plan.
- ~~16.~~ 15. Clearly defined pedestrian pathway(s), consisting of decorative material such as brick, pavers or alternative material providing shall be provided connecting the residences throughout the site to the Broadway Multi-Use Trail and the adjacent commercial site, as approved by the Planning and Development Department.
- ~~17.~~ 16. An enhanced pedestrian entryway shall be provided on the southern site boundary, adjacent to the trail, to allow for direct pedestrian access to site and the trail system.
- ~~18.~~ 17. A Traffic Impact Study (TIS) shall be submitted to the City for this development. No preliminary approval of plans shall be granted until the study is reviewed and approved by the Street Transportation Department. The TIS shall include signal warrant analysis for 83rd Avenue and Broadway Road. If the approved TIS determines that a signal is warranted at this intersection, the developer shall be required to fund 100% of the cost and construct the signal. If the TIS does not warrant the signal, the developer shall be required to contribute 25% of traffic signal cost in an escrow account to the Street Transportation Department.
- ~~19.~~ 18. All existing electrical utilities within the public right-of-way shall be undergrounded, adjacent to the development. The developer shall coordinate with the affected utility companies for their review and permitting.
- ~~20.~~ 19. All streets within and adjacent to the development shall be constructed with paving, curb, gutter, sidewalk, curb ramps, streetlights, median islands, landscaping and other incidentals, as per plans approved by the Planning and Development Department. All improvements shall comply with all ADA accessibility standards.

24. In the event archaeological materials are encountered during construction, the
20. developer shall immediately cease all ground-disturbing activities within a 33- foot
radius of the discovery, notify the City Archaeologist, and allow time for the
Archaeology Office to properly assess the materials.
22. Prior to final site plan approval, the landowner shall execute a Proposition 207 waiver
21. of claims form. The waiver shall be recorded with the Maricopa County Recorder's
Office and delivered to the City to be included in the
rezoning application file for record.

Multifamily development as depicted on the site plan date stamped February 2, 2024

23. The development shall be in general conformance with the elevations date stamped
22. January 8, 2024, as modified by the following stipulations and approved by the
Planning and Development Department.
23. ~~A STEPBACK PROVISION OF THE MAXIMUM HEIGHT SHALL BE 2 STORIES OR
30 FEET FOR THE FIRST 100 FEET FROM ADJACENT TO THE NORTH
PROPERTY LINE, SHALL BE LIMITED TO TWO STORIES OR 30 FEET.~~
24. The R-4 Planned Residential Development Option shall be utilized for the
development.
25. The north landscape setback shall be planted with minimum 2-inch caliper large
canopy, evergreen trees, planted 25 feet on center or in equivalent groupings, as
approved by the Planning and Development Department.
26. All pedestrian walkways, including sidewalks, shall be shaded by a structure,
landscaping, or a combination of the two to provide a minimum of 75% shade, as
approved by the Planning and Development Department. Where utility conflicts exist,
the developer shall work with the Planning and Development Department on
alternative design solutions consistent with a pedestrian environment.
27. The development shall incorporate bicycle infrastructure as described below and
approved by the Planning and Development Department
- a. The developer shall provide secure bicycle parking per Section 1307 of the
Zoning Ordinance.
 - b. Guest bicycle parking shall be provided at a minimum rate of 0.05 spaces per
unit, up to a maximum of 50 spaces. Parking spaces shall be provided through
Inverted U and/or artistic racks located near the community center and/or
clubhouse and open space areas, and installed per the requirements of Section
1307.H. of the Phoenix Zoning Ordinance. Artistic racks shall adhere to the City
of Phoenix Preferred Designs in Appendix K of the Comprehensive Bicycle
Master Plan.
 - c. A bicycle repair station ("fix it station") shall be provided and maintained on
site within an amenity area or near a primary site entrance, and separated from
vehicular maneuvering areas, where applicable. The repair station shall
include, but not be limited to standard repair tools affixed to the station, a tire
gauge and pump affixed to the base of the station or the ground, and a bicycle

repair stand which allows pedals and wheels to spin freely while making adjustments to the bike.

- d. Bicycle parking spaces shall be shaded by a structure, landscaping, or a combination of the two to provide a minimum of 75% shade, as approved by the Planning and Development Department.
 - e. A minimum of 10% of the required bicycle parking spaces shall be include standard electrical receptacles for electric bicycle charging capabilities.
28. A minimum of 2% of the required parking spaces shall include EV Installed infrastructure. A minimum of 5% of the required parking spaces shall include EV Capable spaces.
29. Prior to final site plan approval, documentation shall be provided that demonstrates a commitment to participate in the Water Efficiency Checkup for a minimum of 10 years, or as approved by the Planning and Development Department.
30. Landscape areas shall be planted with minimum 2-inch caliper, large canopy, drought-tolerant, shade trees planted 25 feet on center or in equivalent groupings, as approved by the Planning and Development Department.

Commercial Portion as depicted on the site plan date stamped February 2, 2024

31. The conceptual site plan and elevations for the future commercial development as depicted on the site plan date stamped February 2, 2024, shall be reviewed and approved by the Planning Hearing Officer through the public hearing process for stipulation modifications prior to preliminary site plan approval. This is a legislative review for conceptual purposes only. Specific development standards and requirements will be determined by the Planning Hearing Officer and the Planning and Development Department. They site plan shall incorporate the following elements:
- a. Accessible pedestrian pathways that connect building entrances and public sidewalks using the most direct route for pedestrians.
 - b. Pedestrian connections between adjacent commercial developments (if developed across multiple phases).
 - c. At least two pedestrian pathway shall be provided to connect the proposed multifamily development to the proposed commercial development.
32. A minimum 5-foot wide landscape setback shall be provided along the commercial perimeter adjacent to multifamily, planted with evergreen trees, as approved by the Planning and Development Department.
33. The development shall incorporate bicycle infrastructure as described below and approved by the Planning and Development Department
- a. Bicycle parking spaces shall be provided per the requirements of Section 1307.H of the Phoenix Zoning Ordinance through inverted U and/or artistic racks located near the office and installed per the requirements of Section 1307.H of the Phoenix Zoning Ordinance. Artistic racks shall adhere to the City of Phoenix Preferred Designs in Appendix K of the Comprehensive Bicycle Master Plan.

- b. A minimum of 5% of the required bicycle parking spaces shall include standard electrical receptables for electric bicycle charging capabilities.
- 34. A minimum of 5% of the required parking spaces shall include EV Ready infrastructure.
- 35. Prior to final site plan approval, documentation shall be provided that demonstrates a commitment to participate in the City of Phoenix Business Water Efficiency Program for a minimum of 10 years, or as approved by the Planning and Development Department.

This publication can be made available in alternate format upon request. Please contact Teleia Galaviz at 602-291-2559, teleia.galaviz@phoenix.gov, TTY: Use 7-1-1.